VOLUME 51 · AUTHOR INDEX

AALBERS M & VAN DE LAAR MAFJ ad

ABBINK J J, KAMP A M, NUIJENS J H, EERENBERG A J M, SWAAK A J G, HACK C E: Relative contribution of contact and complement activation to inflammatory reactions in arthritic joints,

ABULJADAYEL I SE SHODJAI-MORADI F & al ACCARDO S SE CIMMINO M A and ACCARDO S

ADEBAJO A O, HAZLEMAN B L, WILLIAMS D G, MAINI R N: Diagnostic role of antikeratin antibodies in RA: correspondence, 1264 AD'HIA A se PAPIHA S S a d

AFOKE N Y P, BYERS P D, HUTTON W C: Tests on hypotheses

about osteoarthritis and hip joints, 485 AGARWAL S S & VERMA U N et al AHMADI K & EBRINGER A et al AHMED T se D'CRUZ D et al ÅKESSON A SE LUNGBERG A-C et al ÅKESSON B SE LUNGBERG A-C et al AKMAN M N, DINÇER G: Hand radiography: an indicator of upper

vical disease in rheumatoid arthritis: correspondence, 573

ALARCON G S, CASTANEDA O, NAIR M G, FERRANDIZ M, KOOPMAN W J, KRUMDIECK C L: Controlled trial of methotrexate versus 10-deazaaminopterin in the treatment of rheumatioid arthritis, 600

ALARCON-SEGOVIA D & SHOENFELD Y et al ALAVI A, AXFORD J S: Investigation of the potential mechanisms controlling glycosylation changes in rheumatoid arthritis, 1284 P ALEGRE J SE LARIO B A et al

ALLENA C et al.: Serum IgA in IgA nephropathy has altered terminal oligosaccharide profile, 1283 P
ALMOG Y & TISHLER M et al
ALONSO J L & CALVO-ALEN J et al

LARIO BA et al

ALSALAMEH S see BUJIA J et al ALTMAN R D, KATES J, CHUN L E, DEAN D D, EYRE D: Preliminary observations of chondral abrasion in a canine model, 1056

ALTOMONTE L & MAGARÒ M et al AMES D E, ASHERSON R A, COLTART J D, VASSILIKOS V, LLOYD JONES J K, HUGHES G R V: Systemic lupus erythematosus complicated by tricuspid stenosis and regurgitation: successful treatment by valve transplantation: case report, 120 AMIT M & WYSENBEEK A J et al

AMOR B see DOUGADOS M et al AMOS N & TEH L S eal
AMOUROUX J & LHOTE F eal
AMRIS K & KLAUSEN T eal

AMNES K SE KLAUSEN I et al ANDELMAN Y: Egypt honours Imhotep, 1928, 1191 ANDERSON D C SE COOPER R G et al ANDERSON N SE O'MAHONY S et al ANSEL J C SE ROSENBAUM J T et al ANTÓN E SE SENDINO A et al

ANTONIADES L. G. & MAVRIKAKIS M. E. et al AOTSUKA S. & NOJIMA Y. et al AOTUKA S. & SHIBATA S. et al ARCHER J SE MacLEAN L et al ARCHER JR & MacLEAN IL e.d. ARDLIE N G & SELLEY M L e.d. ARNOUX B & HILLIQUIN P e.d. ARROYO I SE LARIO BA et al ARTHUR V SE EMERY P et al ASAMI K SE MATSUDA J et al ASHERSON R SE D'CRUZ D et al

HAGA H-J et al ASHERSON R A

CERVERA R: The antiphospholipid syndrome: a syndrome in evolution: leader, 147

FEI H-M, STAUB H L, KHAMASHTA M A, HUGHES G R V, FOX R I: Antiphospholipid antibodies and HLA associations in primary Sjogren's syndrome, 495 ee also AMES DE et al

ASMUSSEN J-U & HERRLINGER J D and ASMUSSEN J-U
ATHANASOU N A & CHANG J S & al
ATKINS R & WESTACOTT C I & al
AUTONELL J & KANTEREWICZ E & al AVERBUCH M & SCHWARTZ D a al AVINOACH I see BUSKIL. D ad

AXFORD J S: Glycosylation networks in rheumatic disease, 1276 P AZQUETA M & CERVERA R et al

BAART DE LA FAILLE J & VELTHUIS P J et al

BAATRUP G, STURFELT G, JUNKER A, SVEHAG S-E: Effects of coagulation temperature on measurements of complement function in serum samples from patient with systemic lupus erythematosus, 892

BAC D J, VAN MARWIJK KOOY M: Mastocytosis and Sjogren's VAN MARWIJK KOOY M: Systemic mastocytosis and Sjogren's

syndrome: correspondence reply, 1183
BACH G L: From Germany: dispatch, 1164

BADAKERE S se MacLEAN L et al BADLEY E M, TENNANT A: Changing profile of joint disorders with age: finding from a postal survey of the population of Calderdale, West

Yorkshire, United Kingdom, 366
BAER A N & COSTELLO P B a al BAGGIOLINI M SE REPO H at al BAGO I see SOLANS R et al BAJOCCHI G see LA CORTE R a al BALDAUF G . FRITZP ad

BÁLINT C P: From Eastern Europe: dispatch, 563
BALLINGER A B, KUMAR P J, SCOTT D L: Misoprostol in the

BALLINGER A B, RUMAR P J, SCOTT D L: Misoprostol in the prevention of gastroduodenal damage in rheumatology: neview, 1089
BAMBERY P, THOMAS R J, MALHOTRA H S, KAUR U, BHUSNURMATH S R, DEODHAR S D: Adult onset Still's disease: clinical experience with 18 patients over 15 years in northern India,

BARBADO F J & SENDINO A a al BARICCHI R & SALVARANI C a al

BARKI Y SE PICARD E et al

BARRISON I: Prophylaxis against non-steroidal induced upper strointestinal side effects: correspondence reply, 140

BARTH J SE NASCHITZ JE et al BARTLETT M R SE SELLEY M L et al BATTISTEL B SE SALVARANI C et al BAUER H SE SCHWARZ-EYWILL M ad BAYLEY D & HAYES ME ad BAZIN H SEE DE CLERCK LS et al BEDWELL A E SE TEH LS et al

BELCH JJF # LAY C S et al
BELL A L, MARKEY G M, McCAIGUE M D, MIDDLETON D,
McCORMICK J A, WILSON A G, MORRIS T C M: Heredofamilial deficiency of monocyte esterase in patients with rheumatoid arthritis, 668

BELL JI & PILE K D et al
BELL M C & CARROLL G J et al
BELLAMY N, DUFFY D, MARTIN N, MATHEWS J: Rheumatoid arthritis in twins: a study of aetiopathogenesis based on the Australian Twin Registry, 588
BEN-CHETRIT E, ENK C, RUBINOW A: Palmar rheumatoid

nodulosis associated with local pressure: case report, 1005

BEN-YEHUDA A SE ILAN Y a al BENLAHRACHÈ C SE HOCINI H a al BENMEIR P SE PICARD E et al BENTLEY G: Articular tissue grafts, 292 BENVENISTE J & HILLIQUIN P et al BERMAN P & JONES A et al BERNHAGEN J & McCARTHY D A et al McCARTHY D et al

BERNSTEIN R M: Prophylaxis against non-steroidal induced upper gastrointestinal side effects: correspondence, 140

see also BRANDSR et al

BERRY H, BIRD H A, BLACK C, BLAKE D R, FREEMAN A M, GOLDINGD N, HAMILTON E B D, JAYSON M I V, KIDD B, KOHN H, MILLION R, OLLIERS, SMITH I, WILLIAMS B D, WOOLF A D: A double blind, multicentre, placebo controlled trial of lornoxicam in patients with osteoarthritis of the hip and knee, 238

BERTHELOT J M SE LEROY J P a al BERTOUCH J V SE VISVANATHAN S a al BETTERIDGE D J SE MacGREGOR A J a al BHALLA A K & KNIGHT S M a d BHAMBHANI M

CRISP A J, COMPSTON J E: Differential involvement of the dorsal is: concise report, 1069

LAMBERTY B G H, CLEMENTS M R, SKINGLE S J, CRISP A J: Giant cell tumours in mandible and spine: a rate complication of Paget's disease of bone, 1335

BHUSATE L L, HERBERT K E, SCOTT D L, PERRETT D: Increased DNA strand breaks in mononuclear cells from patients with rheumatoid arthritis, 8

BHUSNURMATH S R & BAMBERY P et al BINDER A SE MacGREGOR A J et al BINT A J & DEIGHTON C M et al

VOLUME 51 · AUTHOR INDEX

AALBERS M & VAN DE LAAR MAFJ ad

ABBINK J J, KAMP A M, NUIJENS J H, EERENBERG A J M, SWAAK A J G, HACK C E: Relative contribution of contact and complement activation to inflammatory reactions in arthritic joints,

ABULJADAYEL I SE SHODJAI-MORADI F & al ACCARDO S SE CIMMINO M A and ACCARDO S

ADEBAJO A O, HAZLEMAN B L, WILLIAMS D G, MAINI R N: Diagnostic role of antikeratin antibodies in RA: correspondence, 1264 AD'HIA A se PAPIHA S S a d

AFOKE N Y P, BYERS P D, HUTTON W C: Tests on hypotheses

about osteoarthritis and hip joints, 485 AGARWAL S S & VERMA U N et al AHMADI K & EBRINGER A et al AHMED T se D'CRUZ D et al ÅKESSON A SE LUNGBERG A-C et al ÅKESSON B SE LUNGBERG A-C et al AKMAN M N, DINÇER G: Hand radiography: an indicator of upper

vical disease in rheumatoid arthritis: correspondence, 573

ALARCON G S, CASTANEDA O, NAIR M G, FERRANDIZ M, KOOPMAN W J, KRUMDIECK C L: Controlled trial of methotrexate versus 10-deazaaminopterin in the treatment of rheumatioid arthritis, 600

ALARCON-SEGOVIA D & SHOENFELD Y et al ALAVI A, AXFORD J S: Investigation of the potential mechanisms controlling glycosylation changes in rheumatoid arthritis, 1284 P ALEGRE J SE LARIO B A et al

ALLENA C et al.: Serum IgA in IgA nephropathy has altered terminal oligosaccharide profile, 1283 P
ALMOG Y & TISHLER M et al
ALONSO J L & CALVO-ALEN J et al

LARIO BA et al

ALSALAMEH S see BUJIA J et al ALTMAN R D, KATES J, CHUN L E, DEAN D D, EYRE D: Preliminary observations of chondral abrasion in a canine model, 1056

ALTOMONTE L & MAGARÒ M et al AMES D E, ASHERSON R A, COLTART J D, VASSILIKOS V, LLOYD JONES J K, HUGHES G R V: Systemic lupus erythematosus complicated by tricuspid stenosis and regurgitation: successful treatment by valve transplantation: case report, 120 AMIT M & WYSENBEEK A J et al

AMOR B see DOUGADOS M et al AMOS N & TEH L S eal
AMOUROUX J & LHOTE F eal
AMRIS K & KLAUSEN T eal

AMNES K SE KLAUSEN I et al ANDELMAN Y: Egypt honours Imhotep, 1928, 1191 ANDERSON D C SE COOPER R G et al ANDERSON N SE O'MAHONY S et al ANSEL J C SE ROSENBAUM J T et al ANTÓN E SE SENDINO A et al

ANTONIADES L. G. & MAVRIKAKIS M. E. et al AOTSUKA S. & NOJIMA Y. et al AOTUKA S. & SHIBATA S. et al ARCHER J SE MacLEAN L et al ARCHER JR & MacLEAN IL e.d. ARDLIE N G & SELLEY M L e.d. ARNOUX B & HILLIQUIN P e.d. ARROYO I SE LARIO BA et al ARTHUR V SE EMERY P et al ASAMI K SE MATSUDA J et al ASHERSON R SE D'CRUZ D et al

HAGA H-J et al ASHERSON R A

CERVERA R: The antiphospholipid syndrome: a syndrome in evolution: leader, 147

FEI H-M, STAUB H L, KHAMASHTA M A, HUGHES G R V, FOX R I: Antiphospholipid antibodies and HLA associations in primary Sjogren's syndrome, 495 ee also AMES DE et al

ASMUSSEN J-U & HERRLINGER J D and ASMUSSEN J-U
ATHANASOU N A & CHANG J S & al
ATKINS R & WESTACOTT C I & al
AUTONELL J & KANTEREWICZ E & al AVERBUCH M & SCHWARTZ D a al AVINOACH I see BUSKIL. D ad

AXFORD J S: Glycosylation networks in rheumatic disease, 1276 P AZQUETA M & CERVERA R et al

BAART DE LA FAILLE J & VELTHUIS P J et al

BAATRUP G, STURFELT G, JUNKER A, SVEHAG S-E: Effects of coagulation temperature on measurements of complement function in serum samples from patient with systemic lupus erythematosus, 892

BAC D J, VAN MARWIJK KOOY M: Mastocytosis and Sjogren's VAN MARWIJK KOOY M: Systemic mastocytosis and Sjogren's

syndrome: correspondence reply, 1183
BACH G L: From Germany: dispatch, 1164

BADAKERE S se MacLEAN L et al BADLEY E M, TENNANT A: Changing profile of joint disorders with age: finding from a postal survey of the population of Calderdale, West

Yorkshire, United Kingdom, 366
BAER A N & COSTELLO P B a al BAGGIOLINI M SE REPO H at al BAGO I see SOLANS R et al BAJOCCHI G see LA CORTE R a al BALDAUF G . FRITZP ad

BÁLINT C P: From Eastern Europe: dispatch, 563
BALLINGER A B, KUMAR P J, SCOTT D L: Misoprostol in the

BALLINGER A B, RUMAR P J, SCOTT D L: Misoprostol in the prevention of gastroduodenal damage in rheumatology: neview, 1089
BAMBERY P, THOMAS R J, MALHOTRA H S, KAUR U, BHUSNURMATH S R, DEODHAR S D: Adult onset Still's disease: clinical experience with 18 patients over 15 years in northern India,

BARBADO F J & SENDINO A a al BARICCHI R & SALVARANI C a al

BARKI Y SE PICARD E et al

BARRISON I: Prophylaxis against non-steroidal induced upper strointestinal side effects: correspondence reply, 140

BARTH J SE NASCHITZ JE et al BARTLETT M R SE SELLEY M L et al BATTISTEL B SE SALVARANI C et al BAUER H SE SCHWARZ-EYWILL M ad BAYLEY D & HAYES ME ad BAZIN H SEE DE CLERCK LS et al BEDWELL A E SE TEH LS et al

BELCH JJF # LAY C S et al
BELL A L, MARKEY G M, McCAIGUE M D, MIDDLETON D,
McCORMICK J A, WILSON A G, MORRIS T C M: Heredofamilial deficiency of monocyte esterase in patients with rheumatoid arthritis, 668

BELL JI & PILE K D et al
BELL M C & CARROLL G J et al
BELLAMY N, DUFFY D, MARTIN N, MATHEWS J: Rheumatoid arthritis in twins: a study of aetiopathogenesis based on the Australian Twin Registry, 588
BEN-CHETRIT E, ENK C, RUBINOW A: Palmar rheumatoid

nodulosis associated with local pressure: case report, 1005

BEN-YEHUDA A SE ILAN Y a al BENLAHRACHÈ C SE HOCINI H a al BENMEIR P SE PICARD E et al BENTLEY G: Articular tissue grafts, 292 BENVENISTE J & HILLIQUIN P et al BERMAN P & JONES A et al BERNHAGEN J & McCARTHY D A et al McCARTHY D et al

BERNSTEIN R M: Prophylaxis against non-steroidal induced upper gastrointestinal side effects: correspondence, 140

see also BRANDSR et al

BERRY H, BIRD H A, BLACK C, BLAKE D R, FREEMAN A M, GOLDINGD N, HAMILTON E B D, JAYSON M I V, KIDD B, KOHN H, MILLION R, OLLIERS, SMITH I, WILLIAMS B D, WOOLF A D: A double blind, multicentre, placebo controlled trial of lornoxicam in patients with osteoarthritis of the hip and knee, 238

BERTHELOT J M SE LEROY J P a al BERTOUCH J V SE VISVANATHAN S a al BETTERIDGE D J SE MacGREGOR A J a al BHALLA A K & KNIGHT S M a d BHAMBHANI M

CRISP A J, COMPSTON J E: Differential involvement of the dorsal is: concise report, 1069

LAMBERTY B G H, CLEMENTS M R, SKINGLE S J, CRISP A J: Giant cell tumours in mandible and spine: a rate complication of Paget's disease of bone, 1335

BHUSATE L L, HERBERT K E, SCOTT D L, PERRETT D: Increased DNA strand breaks in mononuclear cells from patients with rheumatoid arthritis, 8

BHUSNURMATH S R & BAMBERY P et al BINDER A SE MacGREGOR A J et al BINT A J & DEIGHTON C M et al

BIRD H: Potential for drug interactions in elderly patients with arthritis: correspondence reply, 926

BIRD H A, HILL J: Repetitive strain disorder: towards diagnostic criteria, 974

see also BERRY H et al; HILL I et al; McLAREN A M et al

BIRGEGARD G SEE GUDBJORNSSON B a al

BITON A & BUSKII AD a al BLACK C & BERRY H a al BLACKHAM A & KIND C N a al BLAKE DR & BERRY H ad

DABBAGH A J et al

FARRELL A J and BLAKE D R FARRELL A J a al GARRETT NE a al KIDD B L et al MacLEANIL et al ROGERS KR ad WALSH DA ad WINYARD PG ad

BLAKE G M & RYAN PJ et al

BLAKE S M are PITSILLIDES A A and BLAKE S M

BLANN A D, WAINWRIGHT A C, EMERY P: Damage to the endothelium in Sjogren's syndrome: lack of correlation with antinuclear antibody titre and presence of antibodies to SSA or SSB autoantigens, 389

BLASINI A M & ESTEVA M H a al BLETRY O see CACOUBP et al BLIN O see GUIEUR et al BLUMER C SE CARROLL GJ et al BLYTH T & FORDHAM JN a al BOASSON M & RENIER G et al

BOERBOOMS A M Th & KERSTENS P J S M a al BOHM U & DE VRIES D D a al

BOND A a al: IgG preparation: is it important when determining glycosylation status? 1284 P

BOOK REVIEWS

DIXON J S, FURST D E, editors: Second-line agents in the treatment of rheumatic diseases, 1992, 1192

HARDIN J G, LONGENECKER G L, editors: Handbook of drug therapy in rheumatic disease: pharmacology and clinical aspects, 1991,

KERSLEY G D, GLYN J H: A concise international history of rheumatology and rehabilitation: friends and foes, 1991, 580 KUETTNER K E, SCHLEYERBACH R, PEYRON J G, HASCALL

VC, editors: Articular cartilage and osteoarthritis, 1992, 1028 LIANG M H, LOGIGIAN M K, editors: Rehabilitation of early

rheumatoid arthritis, 1992, 1028 MOENS H J B: Computer-assisted diagnosis of rheumatic diseases,

1991, 1027

MOLL J ad: Rheumatology review, vol 1, No 1, 1991, 1027 MOSKOWITZ R W, HOWELL D S, GOLDBERG V M, MANKIN H J, editors: Osteoarthritis: diagnosis and medical/surgical

management, 2nd ed, 1992, 1028 WORLD HEALTH ORGANISATION SCIENTIFIC GROUP, editors: Rheumatic diseases (WHO Technical Report Series 816), 1992, 1295

BOSCH-GIL J A & SIMEON-AZNAR C P et al BOSS J H & NASCHITZ J E et al BOUDJADJA A see GODEAU B et al BOURGEOIS P see CHEVALIER X et al BOURNE DJ SE SELLEY ML a al BOUVET J-P ar HOCINI H et al BOYLE C & THOMAS D a al BRACCINI G sæ OLIVIERI I et al

BRADLEYH se EMERYP et al BRAND C A, ROWLEY M J, TAIT B D, MUIRDEN K D, WHITTINGHAM S F: Coexistent rheumatoid arthritis and systemic lupus erythematosus: clinical, serological, and phenotypic features, 173

BRAND S R, WORTHINGTON J, McINTOSH D P, BERNSTEIN R M: Antibody to a 63 kilodalton insect protein in ankylosing spondylitis, 334

BRAUN J SE SIEPER J a al

BREEDVELD F C & BROMMER E J P a al

CATS A and BREEDVELD F C DE CLERCK LS ad VAN ZEBEN D ad

BREITBART A SE SCHWARZ-EYWILL M ad BRESNIHAN B & O'NEILL T W and BRESNIHAN B

O'NEILLTW et al VEALED and

BREUER R & ILAN Y & al BREZIS M & MEVORACH D & a

BRIDGES A J, SMITH E, REID J: Joint hypermobility in adults referred to rheumatology clinics, 793
BRIDTS C H & DE CLERCK L S a al

BROELL H & PEICHL P a al

BROMAN G & EKDAHL C and BROMAN G
BROMMER E J P, DOOIJEWAARD G, DIJKMANS B A C,
BREEDVELD F C: Plasminogen activators in synovial fluid and plasma from patients with arthritis, 965 BROOK AS & SELLEY ML & al

BROOKS P: From the Pacific Basin: dispatch, 420, 1340

BROOKS P M & DANIS V A a al BROZOVIC M & COPE A P a al BRUGUÉS J & KANTEREWICZ E a d BRUINS FG & VAN DE LAAR MAFJ ad BRUNET F se GODEAU B a al

BRUYN G A W, VAN LEEUWEN M S: Failure of cold pressor testing to induce changes in plasma renin activity or renal duplex sonography in patients with systemic sclerosis: correspondence, 1022 see also STENGER A A M E et al

BRZESKI M see CAPELL H A and BRZESKI M

RALSTON S H at all BUCHANAN W W, SINGAL D P: HLA-D region genes and rheumatoid arthritis: correspondence reply, 1023

see also SINGAL D P et al

BUCKNALL R C SE COMER M and BUCKNALL R C

LEDSON MI a al

BUJIA J, WILMES E, HAMMER C, BURMESTER G R, ALSALAMEH S: Class II antigen induction in cartilage. orrespondence, 1098

BULSTRODE C J & CHANG J S a al BURMESTER GR & BUJIA J et al

BUSKILA D, MOSOVITCH B, BITON A, KLEIN M, SUKENIK S, AVINOACH I: Multiple leiomyomas of the skin in RA: correspondence,

BUTLER M G see SPECTOR T D ad WALLERHA

BYERS PD & AFOKE NYP ad

CACOUB P, PIETTE J C, WECHSLER B, BLETRY O, GODEAU P, CARAYON A, MAISTRE G, LEGRAND J C: Plasma endothelin-1 concentrations in polyarteritis nodosa: correspondence, 704

CALIN A, WILL R, KIRWAN J: Age at presentation with ankylosing spondylitis: correspondence reply, 1102 see also WILL R et al

CALVO-ALEN J, LOZA E, ALONSO J L, RODRIGUEZ-VALVERDE V: Pseudohaemarthrosis: a new manifestation of Osler-Rendu-Weber disease: correspondence, 1021
CAMILLERI A E, SWAN I R C, MURPHY E, STURROCK R D:

Chronic otitis media: a new extra-articular manifestation in ankylosing spondylitis?, 655

CAMILLERI J P, MOORE R H, GRIFFITHS D F R, WILLIAMS B D: Selective IgA deficiency associated with glomerulonephritis and oligoarthritis: case report, 123

CAMPBELL J M, REGLINSKI J, SMITH W E, PORTER D, STURROCK R D: Action of sodium aurothiomalate on erythrocyte

membrane, 969
CAPELL H A, BRZESKI M: Slow drugs: slow progress? Use of slow acting antirheumatic drugs (SAARDs) in rheumatoid arthritis: review, 424

see also MARSHALL DAS et al. PORTER D et al

CAPOZZOLI N & SALVARANI C & al
CARAYON A & CACOUB P & al
CARLIN G, DJURSATER R, SMEDEGARD G: Sulphasalazine ARLIN G, DJURSATER R, SMEDEGARD G: Suppassaizane inhibition of human granulocyte activation by inhibition of second messenger compounds, 1230

CARLSON R W se MISUKIEWICZ P et al

CARROLL G J

BELL M C, LAING B A, McCAPPIN S, BLUMER C, LESLIE A: Reduction of the concentration and total amount of keratan sulphate in synovial fluid from patients with osteoarthritis during treatment with piroxicam, 850

COOK N J, OWEN E T: Methotrexate, pneumonitis, and infection: correspondence reply, 1179
see also COOK N J and CARROLL G J

CASOLI M C & ROSSI E et al CASPI D, FUCHS D, YARON M: Sulphasalazine induced hepatitis in juvenile rheumatoid arthritis: case report, 275: correspondence reply,

see also TISHLER M et al

CASTANEDA O at ALARCON G S at al CATS A, BREEDVELD F C: From the Netherlands: Cispatch , 1012 e also VAN ZEBEN D et al

CATTELL W R & DAWNAY A a al CAVANAGH G & DEIGHTON C M a al CAWLEY MID as MacLEANIL a al

CERVERA R, FONT J, PARÉ C, AZQUETA M, PEREZ-VILLA F, LOPEZ-SOTO A, INGELMO M: Cardiac disease in systemic lupus erythematosus: prospective study of 70 patients, 156 see also ASHERSON R A and CERVERA R; FONT J et al; VIANNA

CESKA M SE PEICHLP aa

CHAKRAVARTY K, SCOTT D G I: Mycotic aneurysm of the aortic arch masquerading as systemic lupus erythematosus: case report, 1079 CHAKRAVARTY K K, WEBLEY M: Monarthritis: an unusual

presentation of renal cell carcinoma: case report, 681

CHANG J S, QUINN J M, DEMAZIERE A, BULSTRODE C J, FRANCIS M J, DUTHIE R B, ATHANASOU N A: Bone resorption by cells isolated from rheumatoid synovium, 1223

CHARLES PJ SE TEHLS et al CHASTANG C SE GODEAU B a al

CHEVAILLER A & RENIER G ad CHEVALIER X, DE BANDT M, BOURGEOIS P, KAHN M F: Primary Sjogren's syndrome preceding the presentation of systemic lupus erythematosus as a benign intracranial hypertension syndrome: case report, 808

see also HOCINI H et al

CHIDWICK K SE WINYARD P G a al CHIRICO S & HALLIWELL B et al CHOY E H S 202 JOBANPUTRA P a al

CHOY M Y a al: A histochemical study of lectin binding in human developing and term placenta, 1284 P

CHRISTOFOROV B 922 GRATEAU G a al CHUCK A J see YOUNG L et al

CHUN L E SE ALTMAN R D et a

CILURSU A, GOEKEN J A, OLSON R R: Detection of antineutrophil cytoplasmic antibody in a patient with L-tryptophan induced eosinophilia-myalgia syndrome: correction to manuscript Vol. 50, 817-

CIMMINO M A, ACCARDO S: Long term treatment of chronic Lyme arthritis with benzathine penicillin: case report, 1007

CLEMENTS M R & BHAMBHANI M a al

COHEN F & MOORE E C ad

COHEN M G, POLLARD K M, WEBB J: Antibodies to histones in systemic lupus erythematosus: prevalence, specificity, and relationship to clinical and laboratory features, 61

COLACO C B . ISENBERG D A and COLACO C B

COLL J, PORTA M, RUBIES-PRAT J, GUTIERREZ-CEBOLLADA J, TOMAS S: Sjogren's syndrome: a stepwise approach to the use of diagnostic tests, 607

COLLINS A J & DOUBE A et al

COLTART J D see AMES D E et al COLVILLE-NASH P R, SCOTT D L: Angiogenesis and rheumatoid arthritis: pathogenic and therapeutic implications: review, 919

COMER M

BUCKNALL R C: Digital vasculitis after splenectomy in a patient with Felty's syndrome: case report, 908 HARVEY A R: Remission of scleroderma during chemotherapy for

lymphoma: case report, 998

COMPSTON J E 202 BHAMBHANI M et al

COOK N J, CARROLL G J: Successful reintroduction of methotrexate after pneumonitis in two patients with rheumatoid arthritis: case report,

see also CARROLL G J et al COOPER C, CUSHNAGHAN J, KIRWAN J R, DIEPPE P A, ROGERS J, McALINDON T, McCRAE F: Radiographic assessment of the knee joint in osteoarthritis, 80: correspondence, 1345 see also McALINDON TE et al

COOPER R G, FREEMONT A J, RILEY M, HOLT P J L, ANDERSON D C, JAYSON M I V: Bone abnormalities and severe arthritis in pachydermoperiostosis: case report, 416 see also HAYES ME et al

COPE A P, JONES A, BROZOVIC M, SHAFI M S, MAINI R N: Possible induction of systemic lupus erythematosus by human parvovirus: case report, 803 CORMIER C see GODEAU B et al COSSERMELLI W see GOLDENSTEIN-SCHAINBERG C et al

COSTELLO P B, BAER A N, GREEN F A: Lipoxygenase products in

inflammatory synovial fluids and other exudates, 1215 COX N L, PROWSE M V, MADDISON M C, MADDISON P J: Treatment of early rheumatoid arthritis with rifampicin, 32 see also FARRELL A J et al

CRAIGR K & HIGGINS C M et al CREAMER P, EDMONDS J, SULLIVAN J, MATTHEWS S: Measurement of HLA class I expression in ankylosing spondylitis,

CREMER G-A 522 GRATEAU G et al CREMONESI T 522 SALVARANI C et al CRISP A J = BHAMBHANI M a al

CROWLEY J, SITUNAYAKE R D: Sulphasalazine induced hepatitis in adult Still's disease: correspondence, 1264

CRUWYS S & KIDD B L a al CRUWYS S C & GARRETT N E a al

CUELLAR M L, SILVEIRA L H, ESPINOZA L R: Fungal arthritis:

review, 690

CUENCA-LUQUE R 502 SIMEON-AZNAR C P a d

CUENCA R SE SOLANS R ad

CUGNINI R SEE ROSENBAUM IT et al

CUNNINGHAM P SEE EBRINGER A et al

CURLING E: Control of interferon gamma glycosylation: how sweet is the sugar coated pill? 1278 P

CUSHNAGHAN I SE COOPER C ad CUTOLO M SE SERIOLO B et al

DA SILVA R P ad: Modulation of macrosialin, a macrophage restricted late endosomal glycoprotein, by endocytosis, 1285 P
DABBAGH A J, BLAKE D R, MORRIS C J: Effect of iron complexes

on adjuvant arthritis in rats, 516

DACRE J & DOHERTY M et al DACRE J E see SPECTOR T D et al

DALY M J SEE FOLEY-NOLAN D a al

DALZIEL M, AXFORD J S: Variation in serum and lymphocytic glycosyltransferase activity in rheumatic disease, 1284 P DANILOWICZ D & FRIEDMAN D M & al

A, FRANIC G M, RATHJEN D A, LAURENT R M, BROOKS P M: Circulating cytokine levels in patients with rheumatoid arthritis: results of a double blind trial with sulphasalazine, 946

DARMAWAN J, VALKENBURG H A, MUIRDEN K D, WIGLEY R D: Epidemiology of rheumatic diseases in rural and urban populations in Indonesia: a World Health Organisation International League Against Rheumatism COPCORD study, stage I, phase, 2, 525 DAVIES A & FORDHAM J N & al

DAVIES M E, HORNER A, FRANZ B, SCHUBERTH H-J: Detection of cytokine activated chondrocytes in arthritic joints from pigs infected with Erysipelothrix rhusiopathiae, 978

DAVIS M see DOUBE A et al

DAVIS M J 92 WILKINSON S M a al

DAWES PT 22 STANWORTH DR and DAWES PT WILKINSON S M a al

DAWNAY A, WILSON A G Mc T, LAMB E, KIRBY J D T, CATTELL W R: Microalbuminuria in systemic sclerosis, 384

DAWSON S 22 LEDINGHAM J a d

D'CRUZ D, TAYLOR J, AHMED T, ASHERSON R, KHAMASHTA M, HUGHES G R V: Complement factor 2 deficiency: a clinical and serological family study, 1254 e also HAGA H-J a al

D'CRUZ D P se JEDRYKA-GORAL A a al DE BANDT M SE CHEVALIER X a d

DE CESARI F SE SERIOLO B a al

DE CEULAER K, KHAMASHTA M A, HARRIS E N, SERJEANT G R, HUGHES G R V: Antiphospholipid antibodies in homozygous sickle cell disease, 671 DE CLERCK L S, STRUYF N J, BRIDTS C H, VAN MARCK E A,

BREEDVELD F C, DEVRIES E, BAZIN H, STEVENS W Experimental arthritis in rats induced by intra-articular injection of IgE aggregates: evidence for arthritogenic role of complexed IgE, 210

DE GROOT PG & OUT H J a d DE GROOT Ph G & OUT H J a al DE LEO E SE MAGARO M a al DE SOLE P SE MAGARO M a al

DE VRIES D D, DEKKER-SAEYS A J, GYODI E, BOHM U, IVANYI P: Absence of autoantibodies to peptides shared by HLA-B27.5 and Klebsiella pneumoniae nitrogenase in serum samples from HLA-B27 positive patients with ankylosing spondylitis and Reiter's syndrome, 783

DEAN D D SE ALTMAN R D a al DeARMOND S J & KAYEBR ad

DEGUCHI Y: Spontaneous increase of transforming growth factor a production by bronchoalveolar mononuclear cells of patients with ystemic autoimmune diseases affecting the lung, 362 DEIGHTON C.M.

GRAY J, BINT A J, WALKER D J: Specificity of the proteus antibody response in rheumatoid arthritis, 1206

GRAY J, ROBERTS D F, BINT A J, WALKER D J: P blood group phenotype, proteus antibody titres, and rheumatoid arthritis: report, 1242

ROBERTS D F, WALKER D J: Effect of disease severity of rheumatoid arthritis c cordance in same sexed siblings, 943

SURTEES D, WALKER D J: Influence of the severity of rheumatoid arthritis on sex differences in Health Assessment Questionnaire scores,

WALKER D J: HLA-D region genes and rheumatoid arthritis: correspondence, 1023

WENTZEL J, CAVANAGH G, ROBERTS D F, WALKER D J: Contribution of inherited factors to rheumatoid arthritis, 182 see also YOUNG L et al

DEKKER-SAEYS A J # DE VRIES D D @ al DEL BLANCO-BARNUSELL J # NOLLA-SOLÉ J M @ al DEL PUENTE A # SCARPA R @ al

DELL A a d: Mass spectrometric strategies for characterising glycoproteins, 1269 P

DELLA VALLE G SE SCARPA R et al

DELLVES P J ad. Genes and IgG glycosylation in autoimmune and non-autoimmune strains of mice, 1275 P

DEMAZIERE A SE CHANG JS a al DENTON J SE HAYES ME a al DEODHAR S D & BAMBERY P a al

DEQUEKER J: From Belgium: dispatch, 281

Siebrandus Sixtius: evidence of rheumatoid arthritis of the robust reaction type in a seventeenth century Dutch priest: now and then, 561 see also JACOBS J W G et al; SILEGHEM A et al

DERKSEN RHWM & OUTHJ ad DESAI T & MISUKIEWICZ P et al DEUXBOUTS N & JACOBS J W G et al DEVRIES E & DE CLERCK L S et al DHAINAUT J-F & GODEAU B & al DHILLON V B & MacGREGOR A J & al DI GIROLAMO C & SCARPA R a d DI MARIO G 202 MAGARO M et al DIEPPE P & DOHERTY M et al McCRAEF aal DIEPPE P A se COOPER C aal

McALINDON TE ad

DIJKMANS BAC SE BROMMER EJP a al IANSSEN M

DINCER G SEE AKMAN M N and DINCER G

DIXON A St J: Health of the nation and osteoporosis: now and then, 914 DJURSÄTER R SE CARLIN G et a

DODDS W N: Liver toxicity with sulphasalazine: correspondence, 1024 DOHERTY M: From Truro to Nottingham: leader, 433

DACRE J, DIEPPE P, SNAITH M: The 'GALS' locomotor screen: now and then, 1165 see also JONES A and DOHERTY M; JONES A et al ; LEDINGHAM

I et al DOOIJEWAARD G see BROMMER E J P et al

DÖRING E & SIEPER J a a

DOUBE A, DAVIS M, SMITH J G, MADDISON P J, COLLINS A J: Structured approach to the investigation of anaemia in patients with rheumatoid arthritis, 469

DOUGADOS M, MAETZEL A, MIJIYAWA M, AMOR B: Evaluation of sulphasalazine in the treatment of spendyloarthropathies, 955 DOUGLAS S D & MOORE E C et al.

DOWD G S E SE WALLER HA et al DUFFIELD A M SE SELLEY M L ad DUFFY D & BELLAMY N a al DUFFY D L & EMMERSON B T a al DUTHIERB SE CHANGIS ad

CUNNINGHAM WRIGGLESWORTH J, HOSSEINI R, WILSON C: Sequence similarity between HLA-DR1 and DR4 subtypes associated with rheumatoid arthritis and proteus/serratia membrane haemolysins: concise report, 1245 see also HIGGINS C M et al; SHODJAI-MORADI F et al

EDELMAN J & WILL R et a EDMOND E se McCORMICK JN et al EDMONDS J & CREAMER P ead EDWARDS A C & SPECTOR T D ead EDWARDS S W & LEDSON M J ead EERENBERG AJM & ABBINKJJ a al EEROLA E se LAHESMAA R a d EFFENBERGER F SE PEICHLP et al

EGGELMEIJER F, MACFARLANE J D: Polyarthritis as the presenting symptom of the occurrence and recurrence of a laryngeal carcinoma: case report, 556

EGUCHI K

MATSUOKA N, IDA H, NAKASHIMA M, SAKAI M, SAKITO S, KAWAKAMI A, TERADA K, SHIMADA H, KAWABE Y, FUKUDA T, SAWADA T, NAGATAKI S: Primary Sjogren's syndrome with antibodies to HTLV-I: clinical and laboratory features, 769
NAKAMURA T, MINE M, IDA H, KAWAKAMI A, MIGITA K, NAGASATO K, KURATA A, FUKUDA T, NAGATAKI S: HTLV-I associated arthritis: characteristics of an HTLV-I virus infected T cell line from synovial fluid: case report, 673

EHRENSTEIN M R

ISENBERG D A: Hypergammaglobulinaemia and autoimmune rheumatic diseases: review, 1185 SNAITH M L, ISENBERG D A: Idiopathic myositis: a rheumatological view, 41

EIBERG H se JAMES W H et al

EINHORN M see GEDALIA A et al

EKDAHL C, BROMAN G: Muscle strength, endurance, and aerobic capacity in rheumatoid arthritis: a comparative study with healthy subjects, 35

EL-HADIDY K & O'REILLY D a d EL-NAJDAWI E & NESHER G a al

ELSON C & WESTACOTT CI et al EMERY P, BRADLEY H, GOUGH A, ARTHUR V, JUBB R, WARING R: Increased prevalence of poor sulphoxidation in patients with rheumatoid arthritis: effect of changes in the acute phase response and second line drug treatment, 318 see also BLANN A D et al; TEH L S et al

EMMERSON B T, NAGEL S L, DUFFY D L, MARTIN N G:

Genetic control of the renal clearance of urate: a study of twins, 375 ENGELMANN S ad: Structure and possible function of proteoglycans

of human B lymphocytes, 1285 P ENK C & BEN-CHETRIT E a al ERIGUCHI M & OGATA Y & al ESCOFET DR & SORIALM ad ESPINOZA L R ME CUÉLLAR M L a al

SILVEIRA L H a d

ESTEVA M H, BLASINI A M, OGLY D, RODRIGUEZ M A: False positive results for antibody to HIV in two men with systemic lupus erythematosus: concise report, 1071 EULDERINK F & TAK-DIAMANT Z a al

EVANS PJ & HALLIWELL B a al

EYRE D SE ALTMAN R D et al

FARRELL A J

BLAKE D R: von Willebrand factor antigen in giant cell arteritis:

correspondence, 1182
BLAKE D R, PALMER R M J, MONCADA S: Increased concentrations of nitrate in synovial fluid and serum samples suggest increased nitric oxide synthesis in rheumatic diseases, 1219

WILLIAMS R B, STEVENS C R, LAWRIE A S, COX N L, BLAKE D R: Exercise induced release of von Willebrahnd factor: evidence for hypoxic reperfusion microvascular injury in rheumatoid arthritis, 1117

FASCIOLO D & SERIOLO B et al FEI H-M & ASHERSON R A ad FEINTUCH M-J & LHOTE F ad FENGER K see JAMES WH a al

FENN G C: Prophylaxis against non-steroidal induced upper

gastrointestinal side effects: correspondence, 140 FERGUSON A & O'MAHONY S a al FERLAN-MAROLT V & TOMSICM ad FERNANDEZ-MADRID F 22 WOOLEY P H et al FERRÁNDIZ M 32 ALARCÓN G S et al FERRELL W R 32 GRAY E and FERRELL W R FIELD M & VENCOVSKY J a d FINBLOOM DS # OLDERS A ad FIOR R SE LHOTE F et al

FITZGERALD O SE VEALE D & al FITZPATRICK R & ZIEBLAND S ad

FOGELMAN I at RYAN PJ ad FOLEY-NOLAN D, DALY M J, WILLIAMS D, WASTI A, MARTIN M: Pamidronate associated hallucinations: correspondence, 927 FONOLLOSA-PLA V & SIMEON-AZNAR C P a al

FONOLLOSA V & SOLANS R & d FONT J, CERVERA R, NAVARRO M, PALLARES L, LOPEZ-SOTO A, VIVANCOS J, INGELMO M: Systemic lupus erythematosus in men: clinical and immunological characteristics, 1050 see also CERVERAR et al

FORD D K, REID G D, TINGLE A J, MITCHELL L A, SCHULZER M: Sequential follow up observations of a patient with rubella associated persistent arthritis: case report, 407

FORDHAM J N, McKAY-FERGUSON E, DAVIES A, BLYTH T: Rat bite fever without the bite: case report, 411

FORSBERG S & RUUSKA P a al FORTE C A se MacGREGOR A J et al

FOX R H SE GARDNER A M N abd FOX R H FOX RI ME ASHERSON RA ad FRANCIS M J se CHANG JS ad FRANIC G M see DANIS V A a al FRANZ B & DAVIES ME ad FREELING P = STAMMERS T et al FREEMAN A M SEE BERRY H a al FREEMONT A J see COOPER R G et al

HAYES ME ad

FREUNDLICH B SE KANE-WANGER G a al

FREY H SE HIETAHARJU A & a FRIEDMAN D M, MITNICK H J, DANILOWICZ D: Recovery from pulmonary hypertension in an adolescent with mixed connective tissue disease: case report . 1001

FRIES J F at LEIGH J P and FRIES J F

FRIMAN C & PETTERSSON T & a FRITZ P, BALDAUF G, WILKE H-J, REITTER Sternocostoclavicular hyperostosis: its progression and radiological features. A study of 12 cases, 658 see also KAHLEP et al

FRYER I SE PILEK et al FUCHS D see CASPI D et al FUJITA T see SHIOZAWAS et al FUKUDA T & EGUCHI K a al FUNG M Y & MALLESON P N a al FUZISAWA M SE GOTO M et al

GAETA G & PICILLO U et al GALLOWAY A & YOUNG L et al GAMBARI P F & PUNZI L et al

GARCÍA-DE LA TORRE I se SALAZAR-PARAMO M a d

GARCÍA J V 😂 SORIA L M et al GARDEMBAS-PAIN M 🕸 RENIER G et al

GARDNER A M N, FOX R H: The venous footpump: influence on issue perfusion and prevention of venous thrombosis: neview, 1173

GARRETT N E, MAPP P I, CRUWYS S C, KIDD B L, BLAKE D R: Role of substance P in inflammatory arthritis: *review*, 1014 GEDALIA A, HOWARD C, EINHORN M: Brucellosis induced avascular necrosis of the femoral head in a 7 year old child: case report,

see also PICARD E et al GENOVESI-EBERT F & OLIVIERI I et al GERMANIDES J B & MAVRIKAKIS M E et al GERRITS-BOEYE MY & KOOLJ ad

GEUSENS P 22 SILEGHEM A 21 al GHOSH P 22 MEYER-CARRIVE I and GHOSH P GLADMAN DD & McDONALDJ a al

SINGAL DP a al GLORIOSO S SE PUNZI L et al

GODEAU B

404

BOUDJADJA A, DHAINAUT J-F, SCHLEMMER B, CHASTANG C, BRUNET F, LE GALL J-R: Outcome of patients with systemic rheumatic disease admitted to medical intensive care units, 627

CORMIER C, MENKES C J: Bronchiolitis obliterans in systemic lupus erythematosus: correspond GODEAU P 222 CACOUB P at al nce reply, 927

GODOLPHIN J L & GOULDING N J a d GOEKEN J A & CILURSU A a d

GOHCHIK SE MATSUDAJ ad

GOLDENSTEIN-SCHAINBERG C, HOMSI C, PEREIRA R M R, COSSERMELLI W: Retrocalcaneal bursitis in juvenile chronic arthritis: case report, 1162

GOLDING D N & BERRY H & al GONZALEZ-ANGLADA I & SENDINO A & al GOODACRE J A, PEARSON J P: Human cartilage proteoglycans as T cell autoantigens: hypothesis, 1094

GOODSHIP A E: Mechanical stimulus to bone: leader., 4

GORDON C & TEH LS et al GORONZY J J & WEYAND C M and GORONZY J J

GOTO M, SASANO M, FUZISAWA M, OKABE T, NISHIZAWA K: Constitutive production of angiotensin converting enzyme from rheumatoid nodule cells under serum free conditions, 741 GOUGH A SEE EMERY P et al

GOULD B A, TURNER J, KEELING D H, HICKLING P, MARSHALL A J: Myocardial dysfunction in ankylosing spondylitis, 227

GOULDING N J

GUYRE P M: Impairment of neutrophil Fcgamma receptor mediated transmembrane signalling in active rheumatoid arthritis, 594 KNIGHT S M, GODOLPHIN J L, GUYRE P M: Increase in

neutrophil Fcgamma receptor I expression following interferon gamma treatment in rheumatoid arthritis, 465

GRADADOS J & SHOENFELD Y et al GRAHAM I M & O'NEILL T W et al

GRANFORS K & MAKI-IKOLA O et al GRATEAU G, VALIN G, SÉRÉNI D, CREMER CHRISTOFOROV B: Mycobacterium kansasii osteitis of the ischium: spondence, 1102

GRAY E, FERRELL W R: Acute joint inflammation alters the adrenoceptor profile of synovial blood vessels in the knee joints of rabbits, 1129

GRAY J & DEIGHTON C M ad GREEN D & SINGAL D P ad

GREEN FA & COSTELLO PB ad

GRIFFITHS DFR & CAMILLERI JP ad

GRIFFITHS H R, LUNEC J: A modified function for agalactosylated IgG? 1277 P

GRIPENBERG-LERCHE C SE MERILAHTI-PALO R et al

GRIPENBERG M SE PAIMELA L et al GRISANTI M W & NESHER G a d
GRISELLE-WISELER V & LHOTE F a d

GUDBJORNSSON B

HALLGREN R, WIDE L, BIRGEGARD G: Response of anaemia in rheumatoid arthritis to treatment with subcutaneous recombinant human erythropoietin, 747

HEDENSTRÖM H, STALENHEIM G, HÅLLGREN R: Bronchial hyperresponsiveness to methacholine in primary Sjogren's syndrome: pondence, 431

GUEDI D 92 WYSENBEEK A I et al GUERRISI R SE TACCARI E et al

GUERRISI V SE TACCARI E a al

GUIEU R, BLIN O, POUGET J, SERRATRICE G: Analgesic effect of indomethacin shown using the nociceptive flexion reflex in humans, 301

GUILLEVIN L SE LHOTEF et al

GULATI S, KUMAR L: Cardiac tamponade as an initial manifestation of systemic lupus erythematosus in early childhood: case report, 279

GUTIERREZ-CEBOLLADA J 202 COLL J a al

GUTTA V SE MOORE E C et al

GUY K: CD antigens and aipha-2,6-sialyltransferase, 1273 P GUYRE P M see GOULDING N J et al GOULDING N J and GUYRE P M

GYODI E ME DE VRIES D D a a

HAAPASAARI I see VON ESSEN R et al HAAXMA-REICHE J see VAN DER NAALT J et al

HACK C E see ABBINK JJ a al HAGA H J se VIANNA J L

HAGA H-J, D'CRUZ D, ASHERSON R, HUGHES G R V: Short term effects of intravenous pulses of cyclophosphamide in the treatment of connective tissue disease crisis, 885

HAKALA M & LUUKKAINEN R et al HAKKARAINEN K, TURUNEN H, MIETTINEN A, KARPPELIN M, KAITILA K, JANSSON E: Mycoplasmas and arthritis: review,

HALL G M № SPECTOR T D & al HALLA J T, SCHROHENLOHER R E, KOOPMAN W J: Local immune responses in certain extra-articular manifestations of rheumatoid arthritis, 698

HÅLLGREN R 500 GUDBJORNSSON B et al

HALLIWELL B, EVANS P J, KAUR H, CHIRICO S: Drug derived radicals: mediators of the side effects of anti-inflammatory drugs? viewpoint, 1261 HAMBLIN A S sæ McCARTHY D A et al

McCARTHY D et al

HÅMEENKORPI R 802 LUUKKAINEN R et al

RUUSKA P aa

HAMILTON E, PITT P: Articular manifestations of Scheie's syndrome: ase report, 542

HAMILTON E B D SEE BERRY H et al

HAMMAD A, TSUKADA Y, TORRE N: Cerebral occlusive vasculopathy in systemic lupus erythematosus and speculation on the part played by complement: case report, 550

HAMMER C & BUJIA J a al
HAMMOND A & SPECTOR T D a al

HAMMOUDEH M, SIAM A R: Salmonella peritonitis and splenic abscess in a patient with systemic lupus erythematosus: correspondence, 140

HANLY J G, PLEDGER D: Characteristics of immunocompetent cells in synovial membranes from multiple sites in patients with rheumatoid

arthritis, 1066

HANSEN J C see TARP U et al

HARDO P G, WASTI S A, TENNANT A: Night pain in arthritis: atients at risk from prescribed night sedation, 972

HARPER M SE TEH LS ad

HARRIS E N m DE CEULAER K a al HARRIS PA & SPECTOR TD ad

HART D J & SPECTOR T D a al SPECTOR T D and HART D J

HART F D SE PORRITT A E and HART F D HARVEY A R see COMER M and HARVEY A R

HASHIMOTO H & KOBAYASHI S a d

NOGUCHI M a al TOKANO Y et al

HASHIMOTO M SEE MATSUDA J et al

HAY F C ad: The immunoglobulin supergene family, 1271 P

HAVES M.E.

BAYLEY D, STILL P, PALIT J, DENTON J, FREEMONT A J, COOPER R G, MAWER E B: Differential metabolism of 25hydroxyvitamin D3 by cultured synovial fluid macrophages and fibroblast-like cells from patients with arthritis, 220 RAI A, COOPER R G, BAYLEY D, FREEMONT A J, MAWER E B: Inhibition by prostaglandin E1 and E2 of 1,25-dihydroxyvitamin D3

synthesis by synovial fluid macrophages from arthritic joints, 632

HAZENBERG B P C see VAN DER NAALT J et al HAZENBERG M P see KOOL J et al

HAZES J M W see VAN ZEBEN D a al

HAZLEMAN B L . ADEBAJO A O a al HEDENSTROM H SE GUDBIORNSSON B @ dl

HEDFORS E 202 NYMAN U a d

HEESEMANN J se MAKI-IKOLA O ed

HEFENEIDER S & ROSENBAUM J T et al HEILIG B SE SCHWARZ-EYWILL M et al HEINEGARD D SEE JOBANPUTRA P et al

HELIN P & KLAUSEN T a a

HELLIWELL P S, MUMFORD D B, SMEATHERS J E, WRIGHT V: Work related upper limb disorder: the relationship between pain, cumulative load, disability, and psychological factors, 1325 ee also ISDALE A H and HELLIWELL PS; ZEBOUNI L et a

HENDERSON DRF & LITWIN MD ad HERBERT KE & BHUSATELL ad

HERON C W: Magnetic resonance imaging in rheumatology: review,

HERRLINGER J D, ASMUSSEN J-U: Long term prognosis in yersinia arthritis: clinical and serological findings, 1332
HESS E V, ZIFF M: D-penicillamine and rheumatoid factor:

correspondence reply, 1181

HESS E V, ZIFF M: Effect of penicillamine on the titre of the rheumatoid factor: a historical perspective, 422

HICKLING P & GOULD BA ad

HIETAHARJU A, KORPELA M, ILONEN J, FREY H: Nervous system disease, immunological features, and HLA phenotype in Sjogren's syndrome, 506 HIGAKI M & MIYASAKA N & al

HIGGENS C S & SCOTT J T and HIGGENS CS
HIGGINS C M, LUND T, SHIPLEY M E, EBRINGER A,
SADOWSKA-WROBLEWSKA M, CRAIG R K: Ankylosing
spondylitis and HLA-B27: restriction fragment length polymorphism and sequencing of an HLA-B27 allele from a patient with ankylosing spondylitis, 855

HILL J, BIRD H A, HOPKINS R, LAWTON C, WRIGHT V: Survey of satisfaction with care in a rheumatology outpatient clinic, 195 also BIRD H A and HILL J

HILLIQUIN P, MENKES C J, LAOUSSADI S, BENVENISTE J, ARNOUX B: Presence of paf-acether in rheumatic diseases, 29 HIRABAYASHI Y & SHIBATAS & al

HIRANO T see NOGUCHI M et al HIROSE S & KOBAYASHI S et al HIROSE S-I see NOGUCHI M et al

HOCINI H.

TOKANO Y et al
OCINI H, ISCAKI S, BENLAHRACHE C, VITALIS L,
CHEVALIER X, LARGET-PIET B, BOUVET J-P: Increased levels of serum IgA as IgA1 monomers in ankylosing spondylitis, 790 HOJKER S SEE TOMSIC M et al

HOLLINGSWORTH P N ar PETER J B and HOLLINGSWORTH PN

HOLT PIL SE COOPER R.G. et al.

HOMMA S & MATSUMOTO T a al HOMSI C & GOLDENSTEIN-SCHAINBERG C a al

HOONING VAN DUYVENBODE F J J see TAK-DIAMANT Z et al

HOPKINS R & HILL] et al HOPKINSON N: Epidemiology of systemic lupus erythematosus: review, 1292 see also JONES A et a

HORDON L D, WRIGHT V, SMITH M A: Bone mass in osteoarthritis: neview, 823
see also McLAREN A M et al

HORNER A SEE DAVIES ME et al HOSSEINI R & EBRINGER A a al

HOUNSELL E F: Epitope modelling in glycoimmunology, 1270 P

HOUTMAN P M SE STENGER A A M E a al STENGER A A M E and HOUTMAN P M HOWARD C SE GEDALIA A et al

HOWE A see ZEBOUNI L et al

HSIEH K-H SE TING C-K and HSIEH K-H

HUGHES G R V & AMES D E aal ASHERSON R A aal D'CRUZ D et al DE CEULAER K a al HAGA H-J a al JEDRYKA-GORAL A a al

VIANNAJI HUHTALA H SE LUUKKAINEN R et al HUNKA A se KONRAD K et al

HUNTER JA SE MARSHALL DAS ad PORTER D ad

HUNTER T: Potential for drug interactions in elderly patients with arthritis: correspondence, 926

HUREZ D & RENIER G et al
HUSKISSON E C & SPECTOR T D et al
HUTCHINSON I et al: Cell surface carbohydrates in the immune

response, 1273 P HUTTON W C & AFOKE N Y P & al HUYSEN J C & MARKUSSE H M & al

HYVONEN P M, KOWOLIK M J: Influence of dichloromethylene bisphosphonate on the in vitro phagocytosis of hydroxyapatite particles by rat peritoneal exudate cells: an electron microscopic and chemiluminescence study, 203

IDA H & EGUCHIK a a IKEDA K sæ WADA T

ILAN Y, BEN-YEHUDA A, OKON E, BREUER R: Mixed connective tissue disease presenting as a left sided pleural effusion: case report,

ILONEN J SE HIETAHARJU A a al RUUSKAP a a

ILOWITE N T, WALCO G A, POCHACZEVSKY R: Assessment of pain in patients with juvenile rheumatoid arthritis: relation between ain intensity and degree of joint inflammation, 343

IMURAS SE SHIOZAWAS and INGELMO M SE CERVERA R et al

FONT J et al

IRANI M S: Prophylaxis against non-steroidal induced upper gastrointestinal side effects: correspondence, 140
ISAACS J D av WATTS R A and ISAACS J D

ISCAKI S & HOCINI H a al

ISDALE A H: Renal cell carcinoma with acute monarthritis: orrespondence, 1182

HELLIWELL PS: An infiltrating rheumatoid nodule? case report, 688 ISENBERG D: Abnormalities in the glycosylation of IgG: clinical aspects, 1279 P

ISENBERG D A, COLACO C B: Lupus anticoagulant activity and anticardiolipin antibody titre in patients with systemic lupus erythematosus: correspondence, 1021
see also EHRENSTEIN M R et al; EHRENSTEIN M R and

ISENBERG D A; MacGREGOR A J et al; TEH L S et al IVANYI P see DE VRIES D D et al

IVERSON G L, McCRACKEN L M: Attributing psychopathology to systemic lupus erythematosus: some methodological considerations: nemiero . 134

IWAMORI M SEE NOGUCHI M et al

JACKSON P: FACE: fluorophore assisted carbohydrate electrophoresis. A new method for the analysis of complex carbohydrates, 1270 P JACKSON R & MARSHALL D A S et al

JACOBS J W G, OOSTERVELD F G J, DEUXBOUTS N, RASKER J J, TAAL E, DEQUEKER J, UYTTERHOEVEN R: Opinions of patients with rheumatoid arthritis about their own functional capacity: how valid is it?, 765

JACOBSSON L, LINDGÄRDE F, MANTHORPE R, OHLSSON K: Effect of education, occupation and some lifestyle factors on common rheumatic complaints in a Swedish group aged 50-70 years, 835 JAGIELLO P & JEDRYKA-GORAL A & al

JAMES I & McCARTHY DA aa

JAMES I T as SPECTOR TD et al JAMES W H: Age at presentation with ankylosing spondylitis: ndence, 1102 NIELSEN L S, FENGER K, EIBERG H, MOHR J: Sex ratios, HLA

markers, and rheumatic diseases: correspondence, 1098

JANSSEN M, DIJKMANS B A C, VANDENBROUCKE J P V, VAN

DUIJN W, PENA A S, LAMERS C B H W: Decreased level of
antibodies against Helicobacter pylon in patients with rheumatoid arthritis receiving intramuscular gold, 1036 see also TAK-DIAMANT Z et al

JANSSON E & HAKKARAINEN K a al JARA L J se SILVEIRA L H a al JARROUSSE B & LHOTE F ad JAYSON MIV & BERRY H ad COOPER RG and

O'REILLY D aa

JEDRYKA-GORAL A, JAGIELLO P, D'CRUZ D P, MALDYKOWA H, KHAMASHTA M A, HUGHES G R V, SWANA G T, LUFT S: Isotype profile and clinical relevance of anticardiolipin antibodies in Sjogren's syndrome, 889

JENKINSON C & ZIEBLAND S & dl JOBANPUTRA P, CHOY E H S, KING LEY G H, SIEPER J, PALACIOS-BOIX A A, HEINEGÅRD D, PANAYI G S: Cellular immunity to cartilage proteoglycans: relevance to the pathogenesis of ankylosing spondylitis, 959 JOHANSSON I & NIVED O et al

JÓNASDÓTTIR E sæ JÓNSSON T a al

JONES A

DOHERTY M: "The time has come" the walrus said...": leader, 434 HOPKINSON N, PATTRICK M, BERMAN P, DOHERTY M: Evaluation of a method for clinically assessing osteoarthritis of the

see also COPE A P et al JONES D R E see POWELL R J and JONES D R E

JONES M G ad: Glycosylation of IgG in the collagen induced model of

arthritis, 1280 P

JONES S & SILMAN A J and JONES S JONSSON T, THORSTEINSSON JÓNASDÓTTIR E, SIGFÚSSON N, VALDIMARSSON H: Population study of the importance of rheumatoid factor isotypes in adults, 863

JOSHI V R: From India: dispatch, 1088

JOZIASSE D H: alpha-1,3-Galactosyltransferase and autoimmunity, 1274 P

JUBBR & EMERY P & al
JULKUNEN H & RUUSKA P & al

JUNKER A SE BAATRUP G a d

KOLBEINSSON A SE IONSSON T et al

KADIOGLU A, SHELDON P: Adhesion of rheumatoid peripheral blood and synovial fluid mononuclear cells to high endothelial venules of gut mucosa: rapid report, 126: correspondence, 926

KAHLE P, SAAL J G, SCHAUDT K, ZACHER J, FRITZ P, PAWELEC G: Determination of cytokines in synovial fluids: correlation with diagnosis and histomorphological characteristics of synovial tissue, 731

KAHN M F & CHEVALIER X & al KAITILA K & HAKKARAINEN K & al KALLENBERG C G M SE SPRONK P E et a TER BORG E J and KALLENBERG C G M

KAMP A M & ABBINK JJ & al KANAI Y & TOKANO Y & al

KANE-WAGNER G, OSTROV B E, FREUNDLICH B: Knee contractures as the presenting manifestation of scleroderma: case report, 810

KANTEREWICZ E, SANMARTI R, RIBA J, TRIAS I, AUTONELL J, BRUGUÉS J: Bezafibrate induced rhabdomyolysis: case report, 536

KAPCINSKA M 500 MACKIEWICZ A et al KARPPELIN M = HAKKARAINEN K a al KARVONEN R L SE WOOLEY P H a d KASUKAWA R see SHIBATA S et al KATER L & VELTHUIS PJ ad KATES J SE ALTMAN RD et al KAUL A SE SPEIGHT PM and KAUR H # HALLIWELL B ad KAUR U & BAMBERY P & al KAWABE Y & EGUCHI K & al KAWAKAMI A & EGUCHI K & al

KAWASUGI K & MATSUDA J a al

KAYE B R, NEUWELT C M, LONDON S S, DeARMOND S J: Central nervous system systemic lupus erythematosus mimicking progressive multifocal leucoencephalopathy: case report, 1152

KEELING DH SEE GOULD BA at al

KEPPLER O T a al: Generation of a group of sialylated B lymphocyte differentiation antigens by human Golgi beta-galactoside alpha-2,6sialyltransferase, 1285 P

KERR K M 28 MARTIN J C et al

KERSTENS P J S M, VAN LOENHOUT J W A, BOERBOOMS A M

Th, VAN DE PUTTE L B A: Methotrexate, pneumonitis, and infection: correspondence, 1179

KHAMASHTA M see D'CRUZ D et al

KHAMASHTA M A see ASHERSON R A a al DE CEULAER K a al JEDRYKA-GORAL A et al

VIANNA J L

KIDD B see BERRY H et al

KIDD B L, CRUWYS S, MAPP P I, BLAKE D R: Role of the sympathetic nervous system in chronic joint pain and inflammation: review, 1188

see also GARRETT N E et al; MacLEAN I L et al; WALSH D A et al KIM W, SEQUEIRA W: Vasculitis in Klinefelter's syndrome: ondence, 1266

KIMURA M & OGATA Y a al
KIMURA S & OGATA Y a al
KIMURA S & OGATA Y a al
KIND C N, BLACKHAM A, MORRIS C J: Effect of intravenous irondextran (Imferon) infusion on antigen induced monarticular arthritis in rabbits, 1237

KING G SE O'NEILL T W & al KINGSLEY G SE SIEPER J & al

KINGSLEY G H & JOBANPUTRA P a d

PANAYIGS ad KIRA S & MATSUMOTO T a al KIRBY J D T & DAWNAY A a al KIRKHAM B & LITWIN M D ad

KIRWAN J se CALIN A et al WILL R et al

KIRWAN J R & COOPER C & al KITANO Y & MIYASAKA N & al KLASEN IS # KOOLJ ad

KLAUSEN T, AMRIS K, HELIN P: Ulcerative colitis complicating seronegative HLA-A2-B27 rheumatoid arthritis with sacroiliitis: case report, 1009

KLEIN M SE BUSKILA D et al

KNIGHT B C : MacGREGOR A J a al KNIGHT S M, RING E F J, BHALLA A K: Bone mineral density and osteoarthritis: leader, 1025

see also GOULDING N J et al; SMITH M A et al

KNILL-JONES R P: Prophylaxis against non-steroidal induced upper gastrointestinal side effects: correspondence, 140
KOBAYASHI K & WADAT a al

TAMURA N, TSUDA H, MOKUNO C, S, KOBAYASHI HASHIMOTO H, HIROSE S: Immunoadsorbent plasmapheresis for a patient with antiphospholipid syndrome during pregnancy: case report, 399 see also NOGUCHI M et al

KOHN H se BERRY H et al KONRAD K, TATRAI T, HUNKA A, VERECKEI E, KORONDI I: Controlled trial of balneotherapy in treatment of low back pain: now and then, 820

KONTTINEN Y T & SAARI H & al KOOL J, SEVERIJNEN A J, KLASEN I S, GERRITS-BOEYE M Y, HAZENBERG M P: Influence of decontamination on induction of arthritis in Lewis rats by cell wall fragments of Eubacterium aerofaciens. Arthropathic properties of indigenous anaerobic bacteria, 510

KOOPMAN W J & ALARCON G S a al HALLAJT ad

KORNOVSKY R & SCHWARTZ D ad KORONDI I 32 KONRAD K a al KORPELA M se HIETAHARJU A a al

KOWOLIK M J 502 HYVONEN P M and KOWOLIK M J

KRAUSE I SE SHOENFELD Y a d KRUMDIECK C L see ALARCON G S at al KUMAR L SEE GULATIS and KUMAR L KUMAR P J SEE BALLINGER A B & al KURATA A see EGUCHI K et al KURKI P SE PAIMELA L et al KUROKI Y SE SHIOZAWA S et al KUWABARA N see MATSUMOTO T et al

KVEDER T SE TOMSIC M ad KWONG T SE PILEK ad

LA CORTE R, BAJOCCHI G, TROTTA F, POTENA A: Bronchial hyperresponsiveness tomethacholine in primary Sjogren's syndrome: dence, 431

LA PALOMBARA F see PICILLO U et al

LAAN R F J M, VAN RIEL P L C M, VAN DE PUTTE L B A: Bone mass in patients with rheumatoid arthritis: review, 826

LAHESMAA R, EEROLA E, TOIVANEN A: Does reduced erythrocyte Cb receptor (CR1) activity contribute to the pathogenesis of yersinia triggered reactive arthritis, 97 ee also MAKI-IKOLA O et al

LAHTI J M, KIDD V J: Altered regulation of glycosylation in malignant cells, 1281 P

LAING B SE WILL R et al LAING B A SE CARROLL G J et al

LAMB E se DAWNAY A et al

LAMBERT C M, NUKI G: Multicentre reticulohistiocytosis with arthritis and cardiac infiltration: regression following treatment for underlying malignancy: case report, 815 LAMBERTY B G H SE BHAMBHANI M et al

LAMERS C B H W & JANSSEN M

LAN I-L SE TSAY GJ ad

LAOUSSADIS & HILLIQUIN P ad

LARGET-PIET B see HOCINI H ad

LARIO B A, TERAN J, ALONSO J L, ALEGRE J, ARROYO I, VIEJO J L: Lack of association between fibromyalgia and sleep apnoea syndrome, 108

LAU C S, O'DOWD A, BELCH J J F: White blood cell activation in Raynaud's phenomenon of systemic sclerosis and vibration induced white finger syndrome, 249

LAURENT R SE PILEK ad LAURENT R M se DANIS V A a al LAWRIE AS SE FARRELL AJ et al LAWTON C SE HILL I et al LE GALL J-R se GODEAU B a al

LEDINGHAM J, DAWSON S, PRESTON B, MILLIGAN G, DOHERTY M: Radiographic patterns and associations of

osteoarthritis of the hip, 1111

LEDSON M J, BUCKNALL R C, EDWARDS S W: Inhibition of neutrophil oxidant secretion by D-penicillamine: scavenging of H2O2 and HOCl, 321

LEE Y C: Biochemical analyses of carbohydrate-protein interactions,

LEGRAND J C se CACOUB P ad

LEIBOWITZ G see MEVORACH D et al

LEIGH J P, FRIES J F: Predictors of disability in a longitudinal sample of patients with rheumatoid athritis, 581

LEIRISALO-REPO M SE PAIMELA L a al REPO H et al

LeROY E C: A brief overview of the pathogenesis of scleroderma

(systemic sclerosis): review, 286

LEROY J P, PENNEC Y L, SOULIER C, BERTHELOT J M,
LETOUX G, YOUINOU P: Follow up study of labial salivary gland

lesions in primary Sjogren's syndrome, 777 LESLIE A & CARROLL G J et al LETOUX G & LEROY J P et al LEVITT N se MISUKIEWICZ P et al

LEVO Y 282 SCHWARTZ D et al LHOTE F, MAINGUENE C, GRISELLE-WISELER V, FIOR R, FEINTUCH M-J, ROYER I, JARROUSSE B, AMOUROUX J, GUILLEVIN L: Giant cell arteritis of the female genital tract with temporal arteritis: case report, 900

LI S-Y xx TSAY G J et al
LIANG M H: From America: Cookbook medicine or food for thought: practice guidelines development in the USA: dispatch, 1257

LIAO T-S & SUN K-H ad

LIENCE E: From Spain: dispatch, 818 LIN W-M see SUN K-H et al

TSAI C-Y ad

LINDGÄRDE F se JACOBSSON L a al LINDLEY I J D & PEICHL P & al LISANTI M & OLIVIERI I & al

LITTLEJOHN GO SE MORAND EF a a

LITWIN M D, KIRKHAM B, HENDERSON D R F, MILAZZO S C: Histiocytic necrotising lymphadenitis in systemic lupus erythematosus: case report, 805

LIU W-T see SUN K-H et al LLOYD JONES J K see AMES D E et al LONDON S S & KAYE B R et al LONGOBARDO A & PICILLO U et al LÓPEZ-BAREA F & SENDINO A et al LÓPEZ-SOTO A sæ CERVERA R et al FONT I ad LOVEGROVE F SE WILL R et al

LOWDELL M & MacLEAN L et al LOWDELL M W & MacLEAN I L et al LOZA E & CALVO-ALEN J & al LUBRANO E & SCARPA R & al LUFT S * JEDRYKA-GORAL A ad

LUND J a al: Glycosylation profiles of chimeric human/mouse antibodies produced in vivo and in vitro, 1272 P

LUND T SE HIGGINS C.M. ad

LUNDBERG A-C, ÅKESSON A, ÅKESSON B: Dietary intake and nutritional status in patients with systemic sclerosis, 1143

LUNDBERG I SE NYMAN U ad LUNEC J SE MacLEAN I L ad

LUUKKAINEN R, HAKALA M, SAJANTI E, HUHTALA H, YLI-KERTTULA U, HÄMEENKORPI R: Predictive value of synovial fluid analysis in estimating the efficacy of intra-articular corticosteroid injections in patients with rheumatoid arthritis, 874

McALINDON T & COOPER C et al McALINDON T E, SNOW S, COOPER C, DIEPPE P A: Radiographic patterns of osteoarthritis of the knee joint in the community: the importance of the patellofemoral joint, 844

McCAIGUE M D & BELLAL ad

McCAPPIN 5 are CARROLL GJ et al McCAPTHY D, TAYLOR M J, BERNHAGEN J, PERRY J D, HAMBLIN A S: Leucocyte integrin and CR1 expression on peripheral blood leucocytes of patients with rheumatoid arthritis, 307

McCARTHY D A, BERNHAGEN J, TAYLOR M J, HAMBLILN A S, JAMES I, THOMPSON P W, PERRY J D: Morphological evidence that activated polymorphs circulate in the peripheral blood of patients with rheumatoid arthritis, 13

MACCHIONI P se SALVARANI C a al McCLEAN J G B & WALLER H A a al McCLOUD P I & MORAND E F a al

McCONVILLE M J a d: Glycosylated phosphatidylinositols: their structures and roles in parasitic diseases, 1282 P

McCORMICK J A & BELLAL et al McCORMICK J N, WOJTACHA D, EDMOND E: Detection of cytomegalovirus antigens in phagocytosed serum complexes from a patient with rheumatoid arthritis, vasculitis, peripheral neuropathy,

cutaneous ulceration, and digital gangrene: case report, 553
McCRACKEN L M & IVERSON G L and McCRACKEN L M
McCRAE F, SHOULS J, DIEPPE P, WATT I: Scintigraphic assessment of osteoarthritis of the knee joint, 938 see also COOPER C et al

McDONALD J, STEWART J, UROWITZ M B, GLADMAN D D:

Peripheral vascular disease in patients with systemic lupus erythematosus, 56

MACEY M as MacLEAN L ad

MACEY M & MACLEAN L & all
MACFARLANE J D & EGGELMEIJER F and MACFARLANE J D
MACGREGOR A J, DHILLON V B, BINDER A, FORTE C A,
KNIGHT B C, BETTERIDGE D J, ISENBERG D A: Fasting lipids and anticardiolipid antibodies as risk factors for vascular disease in systemic lupus erythematosus, 152 MACHOLD K P, NEUMANN K, SMOLEN J S: Recombinant human

interferon gamma in the treatment of rheumatoid arthritis: double

blind placebo controlled study, 1039 McINTOSH D P & BRAND S R & d

McKAY-FERGUSON E & FORDHAM J N & al

MACKIEWICZ A, SOBIESKA M, KAPCIŃSKA M, MACKIEWICZ S H, WIKTOROWICZ K E, PAWLOWSKI T: Different capabilities of monocytes from patients with systemic lupus erythematosus and rheumatoid arthritis to induce glycosylation alterations of acute phase proteins in vitro, 67

MACKIEWICZ S H & MACKIEWICZ A ad MACKINNON MI . MALLESON PN and

McLAREN A M, HORDON L D, BIRD H A, ROBINS S P: Urinary excretion of pyridinium crosslinks of collagen in patients with osteoporosis and the effects of bone fracture, 648

MacLEAN I L

ARCHER J R, CAWLEY M I D, KIDD B L, O'HARA B P,
PEGLEY F S, THOMPSON P W: Immune complexes in ankylosing spondylitis, 83

LOWDELL M W, BLAKE D R, LUNEC J, ARCHER J R: Absence of a specific effect of free radicals on HLA-B27, 963

MACLEAN L: HLA-B27 subtypes: implications for

oondyloarthropathies: leader, 929 MACEY M, LOWDELL M, BADAKERE S, WHELAN M, PERRETT D, ARCHER J: Sulphydryl reactivity of the HLA-B27 epitope: accessibility of the free cysteine studied by flow cytometry, 456

MADDISON M C & COX N L ad MADDISON P & RICHARDS A a al MADDISON P J see COX N L et al

DOUBE A ad SMITH MA ad

MADHOK R & PORTER D a al MAETZEL A see DOUGADOS M et al

MAGARO M, ZOLI A, ALTOMONTE L, MIRONE L, DE SOLE P, DI MARIO G, DE LEO E: Effect of fish oil on neutrophil chemiluminescence induced by different stimuli in patients with rheumatoid arthritis, 877

MAHMUD T se PEAKMAN M a al MAINGUENE C se LHOTE F a d MAINI R N & ADEBAJO A O a al COPE A P a al VENCOVSKY J a al

MAINS BT & PAPIHASS ad MAISTRE G see CACOUBP et al

MAKI-IKOLA O, PULZ M, HEESEMANN J, LAHESMAA R, SAARIO R, TOIVANEN A, GRANFORS K: Antibody response against 26 and 46 kilodalton released proteins of yersinia in yersinia triggered reactive arthritis, 1247 MÄKITALO R & RUUSKA P & al

MALAISE M G a al: Role of the Fc-N-glycosylation of IgG in the production of tumour necrosis factor alpha induced by the cross linking of human monocyte Fc gamma receptors, 1279 P MALDYKOWA H & JEDRYKA-GORAL A & al

MALHOTRA H S & BAMBERY P & al

MALLESON P N, FUNG M Y, PETTY R E, MACKINNON M J, SCHROEDER M-L: Autoantibodies in chronic arthritis of childhood: relations with each other and with histocompatibility antigens, 1301

MANTHORPE R see JACOBSSON L at al MANTOVANI W & SALVARANI C a al MAPP PI & GARRETT NE ad

KIDD B L a al WALSH D A a al

MARCIALIS M R & PICILLO U a al MARION M & THOMAS D a al MARIUZ S & PUNZI L a al

MARKEY G M SE BELL AL a al

MARKUSSE H M, HUYSEN J C, NIEUWENHUYS E J, SWAAK A J G: B2 Microglobulin in tear fluid from patients with primary Sjogren's syndrome, 503

MARSHALL A J ar GOULD BA a al

MARSHALL DAS

HUNTER J A, CAPELL H A: Double blind, placebo controlled study of metronidazole as a disease modifying agent in the treatment of rheumatoidarthritis, 758

JACKSON R, RAE A P, CAPELL H A: Early aortic valve cusp rupture in relapsing polychondritis: case report, 413
MARTIN J & NARANJO A et al

MARTIN I C, RENNIE J A N, KERR K M: Pachydermodactyly: dence, 1101

confused with JCA: correspondence, 1101
MARTIN M & FOLEY-NOLAN D a al
MARTIN N & BELLAMY N a al

MARTIN N G & EMMERSON B T et al

MARTINEZ-OSUNA P & SILVEIRA L H a d
MATEO-SORIA L & NOLLA-SOLE J M a d
MATHEWS J & BELLAMY N a d
MATSUDA J, TSUKAMOTO M, SAITOH N, GOHCHI K,
KAWASUGI K, ASAMI K, HASHIMOTO M: Reduced serum β2

glycoprotein I in SLE: correspondence, 1099
MATSUMOTO T, OKADA M, KUWABARA N, HOMMA S, SUZUKI S, KIRA S, UEKUSA T, SAIKI S: Polyarteritis nodosa and

acute interstitial pneumonia, 1344 MATSUOKA N 222 EGUCHI K et al MATTEY D & WILKINSON S M et al MATTHEWS S & CREAMER P et al

MATTIASSON A 92 WESTLING L and MATTIASSON A MAVRIKAKIS M E: Antiribosomal P antibodies and lupus psychosis: correspondence reply, 1104
ANTONIADES L G, GERMANIDES J B, SOTOU D,

RASSIDAKIS A: Organic brain syndrome with psychosis as an initial manifestation of systemic lupus erythematosus in an elderly woman: case report, 117

MAWER E B & HAYES M E et al

MEIJER CJLM & VAN DE LAARMAFJ a al MELSOMRD & SPEIGHTPM a al

MENKES C J & GODEAU B & al HILLIQUIN P & al

MERILAHTI-PALO R, GRIPENBERG-LERCHE C, SÖDERSTRÖM K-O, TOIVANEN P: Long term follow up of SHR rats with experimental yersinia associated arthritis, 91

MEVORACH D, LEIBOWITZ G, BREZIS M, RAZ E: Induction of remission in a patient with Takayasu's arteritis by low dose pulses of methotrexate: case report, 904

MEYER-CARRIVE I, GHOSH P: Effects of tiaprofenic acid (Surgam) on cartilage proteoglycans in the rabbit joint immobilisation model, 448

MIDDLETON D & BELLAL et al MIDDLETON J F S, TYLER J A: Upregulation of insulin-like growth factor I gene expression in the lesions of osteoarthritic human articular

cartilage, 440
MIETTINEN A & HAKKARAINEN K et al
MIGITA K & EGUCHI K et al MIGLIARESI S & PICILLO U a al MIJIYAWA M see DOUGADOS M et al MILAZZO S C & LITWIN M D et al MILLIGAN G & LEDINGHAM J et al MILLION R BERRY H a al

MINE M & EGUCHI K et al MINOTA S & NOJIMA Y et al MIRONE L & MAGARO M et al

MISRA R & VERMA UN et al

MISSELEVITCH I & NASCHITZ JE et al MISUKIEWICZ P, CARLSON R W, ROWAN L, LEVITT N, RUDNICK C, DESAI T: Acute aortic insufficiency in a patient with presumed Reiter's syndrome: case report, 686

MITAMURA K & OGATA Y a a MITCHELL L A & FORD D K a a MITNICK H J & FRIEDMAN D M a a

MIYASAKA N, SATO K, KITANO Y, HIGAKI M, NISHIOKA K, OHTA K: Aberrant cytokine production from tenosynovium in dialysis ociated amyloidosis, 797

MOENS H J B, VAN DER KORST J K: Development and validation of a computer program using Bayes's theorem to support diagnosis of rheumatic disorders, 266 MOHR J see JAMES W H et al

MOKUNO C se KOBAYASHI S et al

MOLENAAR W M 92 VAN DER NAALT J et al

MOLONY J SEE O'NEILL T W et al MONCADA S SEE FARRELL A J et al

MOORE E C, COHEN F, DOUGLAS S D, GUTTA V: Staphylococcal infections in childhood dermatomyositis - association with the development of calcinosis, raised IgE concentrations and granulocyte chemotactic defect, 378

MOORE R H & CAMILLERI J P a al MOORE T L & NESHER G a al

NESHER G and MOORE T L
MOOYAART E L 522 VIERBOOM M A C 21 al
MORA-SALVADOR J 522 NOLLA-SOLE J M 21 al

MORAND E F, McCLOUD P I, LITTLEJOHN G O: Continuation of long-term treatment with hydroxychloroquine in systemic lupus erythematosus and rheumatoid arthritis, 1318

MORITO N 800 SHIBATAS a al MORRIS C J see DABBAGH A J et al KIND CN et al

ROGERS K R ad MORRIS T C M & BELL A L ad

MOSOVITCH B & BUSKILA D et al

MOUTSOPOULOS H M == PAPADOPOULOS G K and

MOUTSOPOULOS H M
MOWAT A & ZIEBLAND S et al
MUIRDEN K D & BRAND C A et al

DARMAWAN J et al MUMFORD D B SEE HELLIWELL PS et al MUNIAIN M A SEE NARANJO A et al

MURPHY E SE CAMILLERI A E et al MURTY G E SE PAPIHA S S et al

MUTLUS SE RICHARDS A et al

NAGAI Y 800 NOGUCHI M et al NAGASATO K SEE EGUCHI K et al NAGATAKI S & EGUCHI K et al NAGEL S L & EMMERSON B T et al NAIK S w VERMA UN et al

NAIR M G SE ALARCÓN GS et al NAKAMURA T & EGUCHIK ad NAKASHIMA M & EGUCHI K a a

NARANJO A, MUNIAIN M A, MARTÍN J, VÁZQÚEZ J, NUNEZ J: Primary idiopathic osteolysis: description of a family: NASCHITZ J E, YESHURUN D, BARTH J, MISSELEVITCH I, BOSS J H: Granulomatous lipophagic panniculitis and temporal

arteritis in a patient with cryptogenic chronic active hepatitis: report, 812

NAVARRO M SE FONT J et al

NESHER G

MOORE T L: Antiperinuclear factor in chronic juvenile arthritis: ondence reply, 1264

MOORE T L, GRISANTI M W, EL-NAJDAWI E, OSBORN T G: Antiperinuclear factor in juvenile rheumatoid arthritis, 350

NEUMANN K & MACHOLD KP et al NEUWELT C M SE KAYEBR et al

NEWKIRK M M, RACETTE N: Effect of conformational changes in IgG Fc epitopes influenced by the carbohydrate side chain in the Cgamma-2 domain on rheumatoid factor binding, 1281 P NIELSEN L S & JAMES W H a a

NIEUWENHUYS E J & MARKUSSE H M a al

NISHIDA Y: Relation between creatinine and uric acid excretion, 101

NISHIOKA K 900 MIYASAKA N et al NISHIZAWA K & GOTO M et al

NIVED O, JOHANSSON I, STURFELT G: Effects of ultraviolet irradiation on natural killer cell function in systemic lupus erythematosus, 726

IWAMORI M, HIRANO T, KOBAYASHI S, NOGUCHI M, HASHIMOTO H, HIROSE S-I, NAGAI Y: Autoantibodies to T and B cell lines detected in serum samples from patients with systemic lupus erythematosus with lymphopenia and hypocomplementaemia.

NOJIMA Y, MINOTA S, YAMADA A, TAKAKU F, AOTSUKA S, YOKOHARI R: Correlation of antibodies to ribosomal P protein with psychosis in patients with systemic lupus erythematosus, 1053

NOLLA-SOLÉ J M

MATEO-SORIA L, ROZADILLA-SACANELL A, DEL BLANCO-BARNUSELL J: Septic arthritis complicating hip osteoarthritis: dence, 704

MATEO-SORIA ROZADILLA-SACANELL SALVADOR J, VALVERDE-GARCIA J, ROIG-ESCOFET D: Role of technetium-99m diphosphonate and gallium-67 citrate bone scanning in the early diagnosis of infectious spondylodiscitis. A comparative study, 665

NOSSENT J C: Systemic lupus erythematosus on the Caribbean island of Curacao: an epidemiological investigation, 1197 NUIJENS J H & ABBINK J J & al NUKI G & LAMBERT C M and NUKI G

O'MAHONYS et al

NÚÑEZ J 202 NARANJO A et al NYMAN U, LUNDBERG I, HEDFORS E, WAHREN M, PETTERSSON I: IgG and IgM anti-snRNP reactivity in sequentially obtained serum samples from patients with connective tissue diseases, 1307

ODA J se TAKAGI M et al

O'DOWD A & LAY CS et al

OGATA Y, KIMURA M, KIMURA S, MITAMURA K, SHIMADA K, SAEGUSA Y, ERIGUCHI M, WAKABAYASHI T: Severe haemorrhagic gastric erosion associated with Sjogren's syndrome: spondence, 139

OGLY D & ESTEVA M H ad O'HARA B P & MacLEAN I L ad OHLSSON K & JACOBSSON L ad OHTAK & MIYASAKAN et al OKABET See GOTOM et al OKADA M se MATSUMOTO T et al OKAMURA K & SHIBATAS ad OKON E & ILAN Y et al OKSALA U-M & VON ESSEN R et al

OKUMURA K & TOKANO Y et al OLDER S A, FINBLOOM D S, PEZESHKPOUR G H: Colchicine myoneuropathy and renal dysfunction: correspondence, 1343 OLIVIERI I

GENOVESI-EBERT F, SIGNORINI G, PASERO G: Conjunctival ulceration in Behcet's syndrome: correspondence, 574 PADULA A, LISANTI M E, BRACCINI G: Longstanding HLA-B27

associated Achilles tendinitis: correspondence, 1265

OLLIER S & BERRY H et al

O'LSON R R & CILURSU A et al
O'MAHONY S, ANDERSON N, NUKI G, FERGUSON A: Systemic
and mucosal antibodies to klebsiella in patients with ankylosing spondylitis and Crohn's disease, 1296 O'NEILL TW

BRESNIHAN B: The heart in ankylosing spondylitis: leader , 705
KING G, GRAHAM I M, MOLONY J, BRESNIHAN B:
Echocardiographic abnormalities in ankylosing spondylitis, 652 OOSTERVELD F G J see JACOBS J W G et al

O'REILLY D, TAYLOR L, EL-HADIDY K, JAYSON M I V: Measurement of cold challenge responses in primary Raynaud's phenomenon and Raynaud's phenomenon associated with systemic sclerosis, 1193

ORIENTE P & SCARPA R a al OSBORN T G & NESHER G a al OSTROV BE ME KANE-WANGER G et al

DERKSEN R H W M, DE GROOT Ph G: Lupus anticoagulant activity and anticardiolipin antibody titre in patients with systemic lupus erythematosus: correspondence reply, 1021

VAN VLIET M, DE GROOT P G, DERKSEN R H W M: Prospective study of fluctuations of lupus anticoagulant activity and anticardiolipin antibody titre in patients with systemic lupus erythematosus, 353

OWEN ET SE CARROLL GJ a al

PADULA A se OLIVIERI I et al PAIMELA L, GRIPENBERG M, KURKI P, LEIRISALO-REPO M: Antikeratin antibodies: diagnostic and prognostic markers for early rheumatoid arthritis, 743

PAL B: Systemic mastocytosis and Sjogren's syndrome: correspondence, 1183

PALACIOS-BOIX A A SE JOBANPUTRA P a al

PALIT J & HAYES M E a al PALLARÉS L & FONT J a al PALMER R M J & FARRELL A J et al

PANAYI G S, KINGSLEY G H, PITZALIS C: Adhesion of peripheral blood lymphocytes to high endothelial venules of gut mucosa: correspondence, 926

see also JOBANPUTRA P et al

PAPADOPOULOS G K, MOUTSOPOULOS H M: Slow viruses and the immune system in the pathogenesis of local tissue damage in Sjogren's syndrome: hypothesis , 136 PAPIHA S S, MURTY G E, AD'HIA A, MAINS B T, VENNING M:

Association of Wegener's granulomatosis with HLA antigens and other genetic markers, 246

PARÉ C SE CERVERA R et al PASERO G & OLIVIERI I a al PATTRICK M see JONES A et al PAWELEC G & KAHLE P et al PAWLOWSKI T & MACKIEWICZ A et al

PEAKMAN M, MAHMUD T, VERGANI D: Antireticulin antibodies in systemic sclerosis: correspo dence reply, 1103

PEARSON J P 202 GOODACRE J A and PEARSON J P

PEGLEY F S as: MacLEAN I L et al PEICHL P, CESKA M, BROELL H, EFFENBERGER F, LINDLEY I J D: Human neutrophil activating peptide/interleukin 8 acts as an autoantigen in rheumatoid arthritis, 19 PEÑA A S & JANSSEN M

PENNECY L & LEROY IP a a

PEREIRA R M R & GOLDENSTEIN-SCHAINBERG C et al PEREZ-VILLA F & CERVERA R et al PERRETT D & BHUSATE L L et al MacLEAN L a a

PERRY J D & McCARTHY D A ad McCARTHY D a al

PETER J B, HOLLINGSWORTH P N: Antireticulin antibodies in temic sclerosis: correspondence, 1103 PETTERSSON I SE NYMAN U a al

PETTERSSON T, PUKKALA E, TEPPO L, FRIMAN C: Increased

risk of cancer in patients with systemic lupus erythematosus, 437

PETTY RE & MALLESON PN at al PEZESCHKPOUR G H & OLDER S A et al PEZZUTTO A SE SCHWARZ-EYWILL M et al

PICARD E, GEDALIA A, BENMEIR P, ZUCKER N, BARKI Y: Abdominal pain with free peritoneal fluid detected by ultrasonography

as a presenting manifestation of acute rheumatic fever: case report, 394
ICILLO U, MARCIALIS M R, LONGOBARDO A, LA
PALOMBARA F, GAETA G, MIGLIARESI S, TIRRI G: Pregnancy and antiphospholipid antibodies: correspondence, 1103

PIETTE I C SE CACOUB P a al

PILE K, KWONG T, FRYER J, LAURENT R: Polyarteritis associated

with Yesinia anterocultica infection: case report, 678

PILE K D, WORDSWORTH B P, BELL J I: Does the locus on chromosome 11 implicated in susceptibility to HLA-DR4 dependent type I diabetes mellitus also affect susceptibility to rheumatoid arthritis?, 1250

PINES A see SCHWARTZ D et al

PITSILLIDES A A, BLAKE S M: Uridine diphosphoglucose dehydrogenase activity in synovial lining cells in the experimental antigen induced model of rheumatoid arthritis: an indication of synovial lining cell function, 992

PITT P & HAMILTON E and PITT P PITZALIS C SE PANAYI G S et al

PLEDGER D & HANLY J G and PLEDGER D POCHACZEVSKY R A SE ILOWITE N T @ al

POLAK J M se WALSH D A a al

POLLARD K M & COHEN M G a al

PORRITT A E, HART F D: W S C Copeman: his importance in contemporary medicine: now and then, 283 PORTA M & COLL J et al

PORTER D, MADHOK R, HUNTER J A, CAPELL H A: Prospective trial comparing the use of sulphasalazine and auroanofin as second line drugs in patients with rheumatoid arthritis, 461 ee also CAMPBELL J M et al

PORTER D R: Bronchiolitis obliterans in systemic lupus erythematosus: ndence, 927

PORTIOLI I SE SALVARANI C ad POTENA A see LA CORTE R et al POUGET J SE GUIEUR et al

POUND J a d: Aglycosylated chimeric human IgG3 can trigger the human phagocyte respiratory burst, 1283 P POWELL R J, JONES D R E: Can man's best friend provide clues to the

etiology of systemic lupus erythematotus: leader, 833

PRESTON B & LEDINGHAM J a al PROWSE M V & COX N L a al PUKKALA E SE PETTERSSON T et al

PULZ M se MAKI-IKOLA O a c

PUNZI L, RAMONDA R, GLORIOSO S, SCHIAVON F, MARIUZ S, GAMBARI P F: Predictive value of synovial fluid analysis in juvenile chronic arthritis, 522

QUINN J M se CHANG JS a al

RAE A P see MARSHALL DAS ead

RAI A SE HAYES ME a

RALSTON S J, URQUHART G D K, BRZESKI M, STURROCK R D: A new method for the radiological assessment of vertebral

quaring in ankylosing spondylitis, 330 RAMONDA R see PUNZI L et al RASKER J J see JACOBS J W G et al RASSIDAKIS A & MAVRIKAKIS M E et al RATHJEN D A & DANIS V A et al RAZ E & MEVORACH D a a REGLINSKI J & CAMPBELL J M et al REID B & SINGAL D P et al REID G D & FORD D K et al

REID J se BRIDGES A J et al

REITTER I # FRITZ P # al RENIER G, RENIER J C, GARDEMBAS-PAIN M, CHEVAILLER A, BOASSON M, HUREZ D: Ankylosing spondylitis and monoclonal mmopathies, 951

RENIER J C & RENIER G ad

RENNIE JA N se MARTIN J C et al REPO H, RISTOLA M, LEIRISALO-REPO M, WALZ A, BAGGIOLINI M: Normal production of neutrophil activating peptide 1/interlukin 8 in monocytes from subjects with previous yersinia triggered reactive arthritis: correspondence, 572 RESTORI G av ROSSI E at al

REVELL PA SE WALSH DA et al RIBA J & KANTEREWICZ E a al

RICCIERI V ar TACCARI E et al RICHARDS A, MUTLU S, SCULLY C, MADDISON P: Complications associated with labial salivary gland biopsy in the investigation of connective tissue disorders: concise report, 996

RILEY M see COOPER R G et al RING EFJ & KNIGHT SM ad

RISTOLA M & REPO H a al ROBERTS D F & DEIGHTON C M a a ROBERTSON P W w VISVANATHAN S et al

ROBINS S P see McLAREN A M a al

RODRIGUEZ M A & ESTEVA M H & al RODRÍGUEZ-VALVERDE V & CALVO-ALEN J & al

ROGERS J SE COOPER C a al

ROGERS K R, MORRIS C J, BLAKE D R: The cytoskeleton and its importance as a mediator of inflammation: review, 565

ROIG-ESCOFET D & NOLLA-SOLE J M a al

ROOK GAW ad: Agalactosyl IgG, interleukin 6, and pregnancy, 1278

ROSENBAUM J T, CUGNINI R, TARA D C, HEFENEIDER S, ANSEL J C: Production and modulation of interleukin 6 synthesis by synoviocytes derived from patients with arthritic disease, 198

ROSS A C: Salvage of the infected athroplasty: masterclass, 910
ROSSI E, SANI C, ZINI M, CASOLI M C, RESTORI G:
Anticardiolipin antibodies and renovascular hypertension: hypertension: rrespondence, 1181

ROSSI F 92 SALVARANI C et al

ROTH S H: Prophylaxis against non-steroidal induced upper gastrointestinal side effects: correspondence, 140

ROTHSCHILD B M: Radiographic assessment of the knee joint in OA: correspondence, 1345
ROWAN L 322 MISUKIEWICZ P et al

ROWLEY M J see BRAND C A a al

ROYER I se LHOTE F a al ROZADILLA-SACANELL A & NOLLA-SOLÉ J M a d ROZMAN B & TOMSIC M a d

RUBINOW A & BEN-CHETRIT E ad RUDINCK C & MISUKIEWICZ P ad

RUTHERFORD R A D & WALSH D A et al RUUSKA P, HAMEENKORPI R, FORSBERG S, JULKUNEN H, MAKITALO R, ILONEN J, TIILIKAINEN A: Differences in HLA antigens between patients with mixed connective tissue disease and systemic lupus erythematosus, 52
RYAN P J, BLAKE G M, FOGELMAN I: Fracture thresholds in

osteoporosis: implications for hormone replacement treatment, 1063

SAAL J G & KAHLE P & al SAARI H, TULAMO R-M, KONTTINEN Y T, SORSA T: Methylprednisolone acetate induced release of cartilage proteoglycans: determination by high performance liquid chromatography, 214
SAARIO R & MAKI-IKOLA O et al
SACANELL A R & SORIA L M et al

SADOWSKA-WROBLEWSKA M 502 HIGGINS C M et al

SAEGUSA Y & OGATA Y & d SAIKI S & MATSUMOTO T & d SAITOH N & MATSUDA J & d SAJANTI E 202 LUUKKAINEN R et al SAKAI M & EGUCHI K ad

SAKTIO S & EGUCHIK et al SALAZAR-PARÁMO M, RUBIN R L, GARCIA-DE LA TORRE I:

Systemic lupus erythematosus induced by isoniazid: case report, 1085
SALVARANI C, MACCHIONI P, CREMONESI T, MANTOVANI
W, BATTISTEL B, ROSSI F, CAPOZZOLI N, BARICCHI R, PORTIOLI I: The cervical spine in patients with psoriatic arthritis: a clinical, radiological and immunogenetic study, 73

SANI C & ROSSI E a al SANMARTÍ R & KANTEREWICZ E a al SASAKI T SE SHIBATAS et al

SASANO M SE GOTO M et al SATO K SE MIYASAKA N et al

SATTAR M A: Coexisting HLA-B27 positive spondyloarthritis and polyarteritis nodosa: case report, 1338

SAVOLAINEN A se VON ESSEN R et al SAWADA R et al: Increased expression of a lysosomal membrane glycoprotein in the cell surface of poorly metastatic colonic cells results in adhesion to E-selectin expressing cells, 1277 P

SAWADA T SEE EGUCHI K a al

SCARPA R, DEL PUENTE A, DI GIROLAMO C, DELLA VALLE G, LUBRANO E, ORIENTE P: Interplay between environmental factors, articular involvement, and HLA-B27 in patients with psoriatic arthritis, 78

SCHALLER M D 302 WASSERFALLEN J-B and SCHALLER M D

SCHAUDT K & KAHLEP ad SCHIAVON F & PUNZIL et al

SCHLEMMER B & GODEAU B & al SCHOUTEN J S A G, VAN DEN OUWELAND F A, VALKENBURG H A: A 12 year follow up study in the general population on prognostic factors of cartilage loss in osteoarthritis of the knee, 932

SCHROEDER M-L : MALLESON PN ad SCHROHENLOHER R E & HALLA JT & al SCHUBERTH H-J & DAVIES M E & al SCHULZER M & FORD D K & al

SCHWARTZ-ALBIEZ R, GROB H J: Characterisation of extracellular sialyltransferase activity in human B lymphocytes, 1284 P SCHWARTZ D, AVERBUCH M, PINES A, KORNOVSKY R, LEVO

Y: Disseminated intravascular coagulation with renal and liver damage as the predominant manifestations of recurrent relapses in systemic juvenile rheumatoid arthritis, 347 SCHWARZ-EYWILL M. HEILIG B. BAUER H. BREITBART A.

PEZZUTTO A:Evaluation of serum ferritin as a marker for adult Still's disease activity: case report, 683 SCOTT D G I see CHAKRAVARTY K and SCOTT D G I

SCOTT D L 22 BALLINGER A B et al

BHUSATE LL ad COLVILLE-NASH PR and SCOTT DL

SPECTOR T D et al

WALLER HA a al SCOTT J T, HIGGENS C S: Diuretic induced gout: a multifactorial

SCOVILLE C D: Postpartum autologous plasma transfusion: effect on RA: correspondence, 1342

SCULLY C SE RICHARDS A a al

SEGAL R & TISHLER M & al SEINO J & SHIBATA S & al SELLEY M L, BOURNE D J, BARTLETT M R, TYMMS K E, BROOK A S, DUFFIELD A M, ARDLIE N G: Occurrence of (E)-4hydroxy-2-nonenal in plasma and synovial fluid of patients with rheumatoid arthritis and osteoarthritis, 481

SENDINO A, BARBADO F J, GONZÁLEZ-ANGLADA I, ANTÓN E, LOPEZ-BAREA F, VAZQUEZ J J: Temporal arteritis: a form of

systemic panarteritis: case report, 1082
SEQUEIRA W see KIM W and SEQUEIRA W

SERENI D 2# GRATEAU G et al
SERIOLO B, CUTOLO M, FASCIOLO D, DE CESARI F, ACCARDO S: Anticardiolipin antibodies in rheumatoid arthritis: bondence, 1100

SERJEANT GR SEE DE CEULAER K a al SERRATRICE G & GUIEU R a al SEVERIJNEN A J & KOOL J a al SHAFI M S & COPE A P a al

SHAFRIR S & COPE AP & & & SHAFRIR S & SHOENFELD Y & & & SHELDON P SHELDON P & KADIOGLU A and SHELDON P SHIBATA S, SASAKI T, HIRABAYASHI Y, SEINO J, OKAMURA K, YOSHINAGA K, MORITO N, KASUKAWA R, AOTUKA S, YOKOHARI R: Risk factors in the pregnancy of patients with systemic lupus erythematosus: association of hypocomplementaemia with poor prognosis, 619

SHIMADA H & EGUCHI K ad SHIMADA K & OGATA Y a al SHIOZAWA K se SHIOZAWA S a d

HIOZAWA S, YOSHIHARA R, KUROKI Y, FUJITA T, SHIOZAWA K, IMURA S: Pathogenic importance of fibronectin in the superficial region of articular cartilage as a local factor for the SHIOZAWA S. induction of pannus extension on rheumatoid articular cartilage, 869 SHIPLEY M E 382 HIGGINS C M $\,$ a al

SHODJAI-MORADI F, EBRINGER A, ABULJADAYEL I: IgA antibody response to *Klebsiella* in ankylosing spondylitis measured by immunoblotting, 233

SHOENFELD Y, SLOR H, SHAFRIR S, KRAUSE I, GRANADOS J, VILLARREAL G M, ALARCÓN-SEGOVIA D: Diversity and pattern of inheritance of autoantibodies in families with multiple cases of

systemic lupus erythematosus, 611 SHOULD J & McCRAE F et al SIAHAMIS G & THOMAS D et al SIAM A R & HAMMOUDEH M and SIAM A R

SIBBALD B SE STAMMERS T & al SIEGNER S W SE WOOLEY P H & al

SIEPER J, BRAUN J, DÖRING E, WU P, HEESEMANN J, TREHARNE J, KINGSLEY G: Aetiological role of bacteria associated with reactive arthritis in pauciarticular juvenile chronic arthritis, 1208 see also JOBANPUTRA P et al

SIGFUSSON N m JONSSON T ad

SIGNORINI G see OLIVIERI I at all SILEGHEM A, GEUSENS P, DEQUEKER J: Intranasal calcitonin for the prevention of bone erosion and bone loss in rheumatoid arthritis.

SILMAN A J, JONES S: What is the contribution of occupational

environmental factors to the occurrence of scleroderma in men?, 1322 SILVEIRA L H, JARA L J, MARTINEZ-OSUNA P, ESPINOZA L R: Polymyalgia rheumatica: report of a case with severe synovitis (synovial cysts): correspondence, 430 see also CUELLAR M L et al

SIMEON-AZNAR C P, CUENCA-LUQUE R, FONOLLOSA-PLA V,

BOSCH-GIL J A: Thrombotic thrombocytopenic purpura preceding systemic lupus erythematosus: case report, 396

SIMEON P as SOLANS R at al
SIN Y M, WONG M K: Effect of sodium aurothiomalate on carrageenan induced inflammation of the air pouch in mice, 112
SINGAL D P, GREEN D, REID B, GLADMAN D D, BUCHANAN

W W: HLA-D region genes and rheumatoid arthritis (RA): importance of DR and DQ genes in conferring susceptibility to RA, 23 see also BUCHANAN W W and SINGAL D P SINGH R R see VERMA U N et al

SINHARAY R: The antiphospholipid syndrome: a syndrome in evolution: correspondence, 1180
SITUNAYAKE R D & CROWLEY J and SITUNAYAKE R D

SKINGLE S J . BHAMBHANI M a d

SLOR J # SHOENFELD Y ad

SMEATHERS JE SE HELLIWELL PS ad SMEDEGÅRD G SE CARLIN G ad

SMITH A G & WILKINSON S M a al

SMITH E & BRIDGES A J a al
SMITH I & BERRY H a al

SMITH I G see DOUBE A et al

SMITH MA ad

SMITH M A, KNIGHT S M, MADDISON P J, SMITH J G: Anaemia of chronic disease in rheumatoid arthritis: effect of the blunted response to erythropoietin and of interleukin 1 production by marrow macrophages, 753

see also HORDON L D et al SMITH W E see CAMPBELL J M et al SMOLEN IS & MACHOLD KP ad SNAITH M * DOHERTY M a al

SNAITH M L see EHRENSTEIN M R a al

SNOW S & McALINDON T E et al SOBIESKA M & MACKIEWICZ A et al

SÖDERSTRÖM K-O & MERILAHTI-PALO R et al SOLANS R, SIMEON P, CUENCA R, FONOLLOSA V, BAGO J, VILARDELL M: Infectious discitis caused by Enterobacter cloacae: case report, 906

SOLE J M N ar SORIA L M et al SOLTYS A J et al: Analysis of the effects of IgG glycosylation status on polyclonal rheumatoid factor binding, 1284 P SONOZAKI H : TAKAGI M et al

SORIA L M, SOLE J M N, SACANELL A R, GARCÍA J V, ESCOFET D R: Infectious arthritis in patients with rheumatoid arthritis: case report, 402

SORSA T see SAARIH et al

SOTOU D & MAVRIKAKIS M E a al SOULIER C & LEROY J P a al

SPADARO A SE TACCARI E et al

SPECTOR T D

DACRE J E, HARRIS P A, HUSKISSON E C: Radiological progression of osteoarthritis: an 11 year follow up study of the knee, 1107

EDWARDS A C, THOMPSON P W: Use of a risk factor and dietary calcium questionnaire in predicting bone density and subsequent bone loss at the menopause, 1252

HART D J: How serious is knee osteoarthritis: leader, 1105

HART D J: How senious is thee osteoarthrius: leader, 1105 WOODWARD L, HALL G M, HAMMOND A, WILLIAMS A, BUTLER M G, JAMES I T, HART D J, THOMPSON P W, SCOTT D L: Keratan sulphate in rheumatoid arthritis, osteoarthritis, and inflammatory diseases, 1134

SPEIGHT P M, KAUL A, MELSOM R D: Measurement of whole unstimulated salivary flow in the diagnosis of Sjogren's syndrome, 499 SPRONK P E, TER BORG E J, KALLENBERG C G M: Patients with

systemic lupus erythematosus and Jaccoud's arthropathy: a clinical subset with an increased C reactive protein response?, 358

STÅLENHEIM G sæ GUDBJÖRNSSON B ad

STAMMERS T, SIBBALD B, FREELING P: Efficacy of cod liver oil as an adjunct to non-steroidal anti-inflammatory drug treatment in the management of osteoarthritis in general practice: now and then, 128 STANWORTH D R: D-penicillamine and rheumatoid factor:

orrespondence, 1181

DAWES P T: Inactive '1 antitrypsin in rheumatoid synovial fluid: oxidation, proteolysis, or complex formation: correspondence, 1022 STAUB H L \approx ASHERSON R A \approx al

STEINBERG J D J see VIERBOOM M A C et al

STENGAARD-PEDERSEN K SE TARP U et al

STENGER A A M E
HOUTMAN P M: Methotrexate, pneumonitis, and infection: prrespondence, 1179

HOUTMAN P M, BRUYN G A W: Does folate supplementation make sense in patients with rheumatoid arthritis treated with methotrexate: review, 1019

STEVEN M M: Prevalence of chronic arthritis in four geographical areas of the Scottish Highlands, 186

STEVENS CR SE FARRELL A J et al

STEVENS W J SE DE CLERCK L S et al STEWART J SE McDONALD J et al STILL P SE HAYES M E et al

STRUYF N J & DE CLERCK L S a al

STURFELT G SE BAATRUP G et al NIVED O and

STURROCK R D ar CAMILLERI A E a d CAMPBELL J M a al

RALSTON S H ad

SUKENIK S SE BUSKILAD ad

SULLIVAN J SE CREAMER P a al

SUMAR N & al: Agalactosyl IgG (Gal(0)): report of its clinical application in early inflammatory arthritis, 1280 P
SUN K-H, LIU W-T, TSAI C-Y, LIAO T-S, LIN W-M, YU C-L:

Inhibition of astrocyte proliferation and binding to brain tissue of anticardiolipin antibodies purified from lupus serum, 717 see also TSAI C-Y et al

SURTEES D & DEIGHTON C M a al

SURVEYOR I SE WILL R a d

SUZUKI T ** MATSUMOTO T & al SVEHAG S-E ** BAATRUP G & al SVENSSON A, THEANDER J: Skin rashes and stomatitis due to parenteral treatment of rheumatoid arthritis with sodium aurothiomalate, 326
SWAAK A J G & ABBINK J J & al

MARKUSSE H M e al

SWAN I R C & CAMILLERI A E a al

SWANA G T see JEDRYKA-GORAL A a al

TAAL E see JACOBS J W G et al

TACCARI E, SPADARO A, RICCIERI V, GUERRISI R, GUERRISI V, ZOPPINI A: Sternoclavicular joint disease in psoriatic arthritis, 372 TAGGART A J: Symptomatic salicylate ototoxicity: a useful indicator of

erum salicylate concentration: correspondence, 704

TAIT B D & BRAND C A a al

TAK-DIAMANT Z, HOONING VAN DUYVENBODE F J J, EULDERINK F, JANSSEN M: Intra-articular rheumatoid nodules and triggering of the knee joint, 533

TAKAGI M, ODA J, TSUZUKI N, SONOZAKI H: Palmoplantar pustulotic arthro-osteitis of the peripheral joints with no sternocostoclavicular lesions: case report, 558

TAKAHASHI N a al: Abnormalities in the oligosaccharide moieties of IgG in patients with myotonic dystrophy, 1283 P TAKAKU F & NOJIMA Y a al

TAMURA N as KOBAYASHI S a al TARA D C . ROSENBAUM JT ad

TARP U, STENGAARD-PEDERSEN K, HANSEN J C, THORLING E B: Glutathione redox cycle enzymes and selenium in severe rheumatoid arthritis: lack of antioxidative response to selenium supplementation in polymorphonuclear leucocytes, 1044

TATRAIT & KONRAD K ad

TAYLOR G SE WESTACOTT CI et al

TAYLOR J se D'CRUZ D a al TAYLOR L se O'REILLY D a al

TAYLOR M J are McCARTHY D A a al

McCARTHY D et al

TEH L-S: Antiribosomal P antibodies and lupus psychosis: rrespondence, 1104

BEDWELL A E, ISENBERG D A, GORDON C, EMERY P, CHARLES P J, HARPER M, AMOS N, WILLIAMS B D: Antibodies to protein P in systemic lupus erythematosus, 489

TENNANT A see BADLEY E M and TENNANT A

HARDO PG ad

TEPPO L SE PETTERSSON T a al

TER BORG E J, KALLENBERG C G M: Treatment of severe thrombocytopenia in systemic lupus erythematosus with intravenous gammaglobulin: concise report, 1149 see also SPRONK PE et al

TERADA K se EGUCHI K a d

TERAN J SE LARIO BA & al THEANDER J SE SVENSSON A and THEANDER J

THOMAS D, SIAHAMIS G, MARION M, BOYLE C: Computerised infrared thermography and isotopic bone scanning in tennis elbow, 103 THOMAS R J ** BAMBERY P ** al

THOMPSON P W . McCARTHY D A a al MacLEANIL aa SPECTOR TD ad

THORLING E B set TARP U st al
THORSTEINSSON J set JÓNSSON T st al
TILIKAINEN A set RUUSKA P st al
TING C-K, HSIEH K-H: A long term immunological study of childhood onset systemic lupus erythematosus, 45

TINGLE A J see FORD D K et al

TIRRI G & PICILLO U ad

TISHLER M

CASPI D, ALMOG Y, SEGAL R, YARON M: Increased incidence of urinary tract infection in patients with rheumatoid arthritis and secondary Sjogren's syndrome, 604

CASPI D, YARON M: Methotrexate treatment of rheumatoid arthritis: is a fortnightly maintenance schedule enough?, 1330

TOIVANEN A SE LAHESMAAR et al TOIVANEN A se MÄKI-IKOLA O et al

TOWANEN P & MERILAHTI-PALO R # al TOKANO Y, KANAI Y, HASHIMOTO H, OKUMURA K, HIROSE S.T. Soluble interleukin receptors in patients polymyositis/dermatomyositis, 781

TOMÁS S & COLLJ et al

TOMOSUGI N & WADA T a al

TOMSIC M, FERLAN-MAROLT V, KVEDER T, HOJKER S,

ROZMAN B: Mixed connective tissue disease associated with autoimmune hepatitis and thyroiditis: case report, 544

TORRE N & HAMMAD A et al TREHARNE J & SIEPER J et al TRIAS I & KANTEREWICZ E et al TRIPATHI P se VIANNA J L TROTTA F & LA CORTE R ad

WU T-H, SUN K-H, LIN W-M, YU C-L: Increased excretion of soluble interleukin 2 receptors and free light chain immunoglobulins in the urine of patients with active lupus nephritis, 168 WU T-H, SUN K-H, YU C-L: Effect of antibodies to double stranded

DNA, purified from serum samples of patients with active systemic lupus erythematosus, on the glomerular mesangial cells, 162 see also SUN K-H et al

TSAY G J, LAN J-L, LI S-Y: Chromosome studies in systemic sclerosis with consideration of antibodies to topoisomerase I, 624

TSUDA H & KOBAYASHI S et al TSUKADA Y & HAMMAD A et al TSUKAMOTO M & MATSUDA J et al TSUZUKI N SE TAKAGI M a a TULAMO R-M SE SAARI H et al TURNER J \approx GOULD B A et al TURNER M W: Mannose binding protein and infection, 1280 P TURUNEN H ME HAKKARAINEN K et a TYLER J A SE MIDDLETON J F S and TYLER J A TYMMS K E SELLEY M L et al

UEKUSA T & MATSUMOTO T a al UROWITZ M B 322 McDONALD J et al URQUHART G D K 322 RALSTON S H et al UYTTERHOEVEN R 322 JACOBS J W G et al

VALDIMARSSON H ∞ JONSSON T & al VALIN G ∞ GRATEAU G & al VALKENBURG H A SEE DARMAWAN J et al

SCHOUTEN JS AG ad

VALVERDE-GARCÍA J 202 NOLLA-SOLÉ J M a al VAN DE LAAR MAF

AALBERS M, BRUINS F G, VAN DINTHER-JANSSEN A C H M, VAN DER KORST J K, MEIJER C J L M: Food intolerance in rheumatoid arthritis. II. Clinical and histological aspects, 303

VAN DER KORST J K: Food intolerance in rheumatoid arthritis. I. A double blind, controlled trial of the clinical effects of elimination of

milk allergens and azo dyes, 298

VAN DE PUTTE L & VAN DER HEIJDE D M F M a d VAN DE PUTTE L B A & KERSTENS P J S M a d LAAN REJM ad

VAN DER HEIJDE DMFM aal

VAN DEN BERG A P 222 VAN DER NAALT J et al VAN DEN BERG W B 322 VAN DER KRAAN P M et al VAN DEN OUWELAND F A 322 SCHOUTEN J S A G et al VAN DER HEIJDE D M F M

VAN'T HOF M A, VAN RIEL P L C M, VAN DE PUTTE L: Disease activity score: correspondence, 140 VAN'T HOF M A, VAN RIEL P L C M, VAN LEEUWEN M A,

VAN RIJSWIJK M H, VAN DE PUTTE L B A: Validity of single variables and composite indices for measuring disease activity in rheumatoid arthritis, 177

VAN DER KORST J K 302 MOENS H J B and VAN DER KORST J K

VAN DE LAAR MAFJ et al

VAN DE LAAR MAFJ et al

VAN DE LAAR MAFJ et al

VAN DER KRAAN PM, VITTERS EL, VAN DEN BERG WB:
Inhibition of proteoglycan synthesis by transforming growth factor a in matomically intact articular cartilage of murine patellae, 643

VAN DER LINDEN E C M a al: Expression of (sialyl)-Lewis X groups on human alpha acid glycoprotein during acute and chronic inflammation, 1283 P

VAN DER NAALT J, HAAXMA-REICHE H, VAN DEN BERG A P, HAZENBERG B P C, MOLENAAR W M: Acute neuromyopathy after colchicine treatment: correspondence, 1267

VAN DER TWEEL I SE VELTHUIS PI et al.

VAN DER VOORT E A M SE VAN ZEBEN D et al

VAN DIJK W a d: Inflammation induced expression of sialyl Lewis X groups on human alpha-1 acid glycoprotein, 1271 P

VAN DINTHER-JANSSEN A C H M 200 VAN DE LAAR M A F J a al VAN DUIJN W 300 JANSSEN M

VAN LEEUWEN MA SEE VAN DER HEIJDE DMFM et a VAN LEEUWEN M S & BRUYN G A W and VAN LEEUWEN M S VAN LOENHOUT J W A & KERSTENS P J S M & d

VAN MARCK E A see DE CLERCK L S a d

VAN MARWIJK KOOY M 202 BAC D J and VAN MARWIJK KOOY M

VAN RIELPLCM SE LAANRFJM et al

VAN DER HEIJDE DMFM et al VAN RIJSWIJK M H & VAN DER HEIJDE D M F M a al VIERBOOM MAC ad

VAN VLIET M see OUT HI et al

VAN VLOTEN W A SE VELTHUIS PI a al VAN ZEBEN D, HAZES J M W, ZWINDERMAN A H, CATS A, VAN DER VOORT E A M, BREEDVELD F C: Clinical significance of rheumatoid factors in early rheumatoid arthritis: results of a follow up study, 1029

VANDENBROUCKE J P 522 JANSSEN M

VAN'T HOF M A & VAN DER HEIJDE D M F M & al VASSILIKOS V & AMES D E & al

VAZQUEZ J se NARANJO A e al VAZQUEZ J J se SENDINO A e al

VEALE D, YANNI G, BRESNIHAN B, FITZGERALD O: Production of angiotensin converting enzyme by rheumatoid synovial membrane,

VELTHUIS P J, KATER L, VAN DER TWEEL I, BAART DE LA FAILLE H, VAN VLOTEN W A: Immunofluorescence microscopy of healthy skin from patients with systemic lupus erythematosus: more than just the lupus band, 720

VENCOVSKY J, WILLIAMS D G, FIELD M, MAINI R N: Clinical associations of IgG antibodies to the ribonucleoprotein p67

polypeptide in patients with systemic lupus erythematosus, 1313 VENNING M & PAPIHA S S et al VERECKEI E & KONRAD K et al VERGANI D 92 PEAKMAN M a al

VERMA U N, SINGH R R, MISRA R, NAIK S, AGARWAL S S: Scleromyxoedema with features of systemic sclerosis: case report, 1159
IANNA J L, HAGA H J, TRIPATHI P, CERVERA R,

KHAMASHTA M A, HUGHES G R V: Reassessing the status of antiphospholipid syndrome in systemic lupus erythematosus, 160 VIEJO J L. se LARIO B A et al

VIERBOOM M A C, STEINBERG J D J, MOOYAART E L, VAN RIJSWIJK M H: Condensing osteitis of the clavicle: magnetic resonance imaging as an adjunct method for differential diagnosis: case report 530

VILARDELL M SE SOLANS R ad

VILLARREAL G M & SHOENFELD Y et al VISVANATHAN S, ROBERTSON P W, BERTOUCH J V: IgG rheumatoid factor synthesis in synovial fluid: correspondence, 1342

VITALIS L & HOCINI H ad

VITTERS E L SE VAN DER KRAAN P M a al

VIVANCOS J & FONT J & d VON ESSEN R, YLIJOKI H, SAVOLAINEN A, HAAPASAARI J, OKSALA U-M: Antiperinuclear factor in chronic juvenile arthritis: respondence, 1264

WADA T, YOKOYAMA H, IKEDA K, TOMOSUGI N, KOBAYASHI K: Neurogenic bladder due to peripheral neuropathy and a visual disturbance in an elderly man with systemic lupus erythematosus: case report 547

WAHREN M SEE NYMAN U ad WAINWRIGHT A C see BLANN A D et al WAKABAYASHI T see OGATAY a al WALCO G A SE ILOWITE N T et al WALKER D J SE DEIGHTON C M et al DEIGHTON C M and WALKER D J

WALLER H A, BUTLER M G, McCLEAN J G B, DOWD G S E, SCOTT D L: Localisation of fibronectin mRNA in the rheumatoid synovium by in situ hybridisation, 735

WALSH D A, MAPP P I, WHARTON J, RUTHERFORD R A D,
KIDD B L, REVELL P A, BLAKE D R, POLAK J M: Localisation and characterisation of substance P binding to human synovial tissue in rheumatoid arthritis, 313

WALZ A SE REPO H et al WARING R SE EMERY P a al

WASSERFALLEN J-B, SCHALLER M D: Unusual rhombencephalitis in relapsing polychondritis: correspondence, 1184

WASTI A ME FOLEY-NOLAN D ad WASTISA BE HARDOPG and

WATTI SEE McCRAEF ad

WATTS R A, ISAACS J D: Immunotherapy of rheumatoid arthritis: leader . 577

WEBB J see COHEN M G et al

WEBLEY M 500 CHAKRAVARTY K K and WEBLEY M

WECHSLER B & CACOUB P a al WEINBERGER A & WYSENBEEK A J a al

WENTZEL J & DEIGHTON C M et a

WESTACOTT C I, TAYLOR G, ATKINS R, ELSON C: Interleukin 1α and β production by cells isolated from membranes around aseptically loose total joint replacements, 638

WESTLING L, MATTIASSON A: General joint hypermobility and temporomandibular joint derangement in adolescents, 87

WEYAND C M, GORONZY J J: Clinically silent infections in patients with oligoarthritis: results of a prospective study, 253

WHALEN J D & WOOLEY P H a d WHARTON J SE WALSH DA et al WHELAN M SE MacLEAN L et al

WHITTINGHAM S F BRAND C A ad WIDE L & GUDBJÖRNSSON B et al WIGLEY R D & DARMAWAN J et al

WIKTOROWICZ K E SE MACKIEWICZ A et al WILKE H-J SE FRITZ P et al

WILKINSON S M, SMITH A G, DAVIS M J, MATTEY D, DAWES P T: Pityriasis rosea and discoid eczema: dose related reactions to treatment with gold, 881

WILL R

CALIN A, KIRWAN J: Increasing age at presentation for patients with

CALIN A, KIKWAN J: Increasing age at presentation for patients with ankylosing spondylitis, 340

LAING B, EDELMAN J, LOVEGROVE F, SURVEYOR I: Comparison of two yttrium-90 regimens in inflammatory and oestoarthropathies, 262 see also CALIN A et al

WILLIAMS A & SPECTOR T D et al WILLIAMS B D & BERRY H et al

CAMILLERI J P et al TEHLS et a

WILLIAMS D & FOLEY-NOLAN D et al WILLIAMS D G see ADEBAJO A O et al VENCOVSKY J a a

WILLIAMS T B & FARRELL A J et al WILMES E & BUJIA J et al WILSON A G & BELL A L et al

WILSON A G Mc T & DAWNAY A a al

WILSON C see EBRINGER A et al

WINYARD P G, BLAKE D R, CHIDWICK K, ZHANG Z: Inactive at antitrypsin in rheumatoid synovial fluid: oxidation, proteolysis, or idence reply, 1022 complex formation: correspo

WOJTACHA D & McCORMICK J N et al WONG M K & SIN Y M and WONG MK WOODWARD L & SPECTOR T D et al

WOOLEY P H, SIEGNER S W, WHALEN J D, KARVONEN R L, FERNANDEZ-MADRID F: Dependence of proteoglycan induced arthritis in BALB/c mice on the development of autoantibodies to high density proteoglycans, 983

WOOLF A D: Osteoporosis: whose problem is it? review, 130

WOOLF A D see also BERRY H et al WORDSWORTH B P see PILE K D et al WORTHINGTON J & BRAND S R a al

WRIGGLESWORTH J & EBRINGER A a al

WRIGHT V: From Britain, 1991: dispatch, 702
How to speak at international conferences: now and then, 1259

see also HELLIWELL PS et al HILL J et al HORDON L D et al ZEBOUNI L a al

WUP se SIEPER J et al

WU T-H are TSAI C-Y et al WYSENBEEK A J, GUEDJ D, AMIT M, WEINBERGER A: Rash in systemic lupus erythematosus: prevalence and relation to cutaneous and non-cutaneous disease manifestations, 717

YAMADA A se NOIIMA Y e al YANNI G se VEALED ad YARON M se CASPI D a al

TISHLER M et al

YESHURUN D SE NASCHITZ I E et al

YLI-KERTTULA U ME LUUKKAINEN R a al YLIJOKI H & VON ESSEN R a al

YOKOHARI R & NOJIMA Y ad SHIBATAS ad

YOKOYAMA H & WADA T a al YOSHIHARA R & SHIOZAWA S @ al

YOSHINAGA K & SHIBATAS ad

YOUAKIM A Characterisation of the long and short forms of beta-1,4galactosyltransferase, 1274 P

YOUINOU P ** LEROY JP & al YOUNG L, DEIGHTON C M, CHUCK A J, GALLOWAY A: Reactive arthritis and group G streptococcal pharyngitis: correspondence, 1268

YU C-L se SUN K-H aal

TSAI C-Y and

ZACHER J se KAHLE P a al

ZEBOUNI L, HELLIWELL P S, HOWE A, WRIGHT V: Gait analysis

in ankylosing spondylitis, 898 ZHANG Z & WINYARD P G et al

ZIEBLAND S, FITZPATRICK R, JENKINSON C, MOWAT A, MOWAT A: Comparison of two approaches to measuring change in health status in rheumatoid arthritis: the Health Assessment Questionnaire (HAQ) and modified HAQ, 1202

ZIFF M se HESS E V and ZIFF M

ZINI M see ROSSI E a al

ZOLI A see MAGARO M et al

ZOPPINI A see TACCARI E et al ZUBER M: Positive antinu antinuclear antibodies in malignancies: ondence, 573

ZUCKER N SE PICARD E et al

ZWINDERMAN A H & VAN ZEBEN D et al

VOLUME 51 · SUBJECT INDEX

Achilles tendinitis, HLA-B27 associated, longstanding:correspondence,

Acute rheumatic fever, abdominal pain with free peritoneal fluid detected by ultrasonography: case report, 394

Adjuvant arthritis, effect of iron complexes, rats, 516 Adrenoceptor profile of synovial blood vessels, knee joints, rabbits, altered by acute joint inflammation, 1129

Adult onset Still's disease, clinical experience, 18 patients over 15 years, northern India, 529 Adult Still's disease, sulphasalazine induced hepatitis: correspondence,

1264 Agalactosul IgG (Gal(0)), clinical application in early inflammatory arthritis, 1280 P

Agalactosyl IgG, interleukin 6, and pregnancy, 1278 P
Agalactosylated IgG, modified function, 1277 P
Age at presentation, ankylosing spondylitis, 340: correspondence, 1102 Aglycosylated chimeric human IgG3 can trigger human phagocyte respiratory burst, 1283 P

Alpha-1 antitrypsin, inactive, in rheumatoid synovial fluid: correspondence, 1022

Alpha acid glycoprotein, expression of (sialyl)-Lewis X groups, during acute and chronic inflammation, 1283 $\,P$

America, practice guidelines in medicine (cookbook medicine): dispatch, 1257

Amyloidosis, dialysis associated, aberrant cytokine production from tenosynovium, 797

Anaemia in RA

effect of blunted response to erythropoietin and interleukin 1 production by marrow macrophages, 753

response to treatment with subcutaneous recombinant human erythropoietin, 747

Angiogenesis, and RA, pathogenic and therapeutic implications: review,

Angiotensin converting enzyme

constitutive production from rheumatoid nodule cells under serum free conditions, 741

production by rheumatoid synovial membrane, 476

Ankylosing spondylitis absence of autoantibodies to peptides shared by HLA-B27.5 and K. pneumoniae nitrogenase in serum samples from HLA-B25 positive patients, 783 antibodies to K. pneumoniae, 1296

antibody to 63 kilodalton insect protein, 334

chronic otitis media as new extra-articular manifestation, 655 echocardiographic abnormalities, 652

gait analysis, 898

and the heart: leader, 705
HLA class I expression measurement, 1138

IgA antibody response to klebsiella, measured by immunoblotting, 233 immune complexes, 83 increased levels of serum IgA and IgA1 monomers, 790

increasing age at presentation, 340: correspondence, 1102

and monoclonal gammopathies, 951 myocardial dysfunction, 227

pathogenesis, relevance of cellular immunity to cartilage proteoglycans, 959 RFLP and sequencing of HLA-B27 allele, 855

vertebral squaring, radiological assessment, 330

Anti-inflammatory drugs, drug derived radicals as mediators of side effects: viewpoint, 1261

Antibodies, to double stranded DNA, purified from SLE serum samples, effect on mesangial cells, 162

Antibody response in yersinia triggered reactive arthritis: concise report,

Anticardiolipin antibodies effects on astrocyte proliferation and binding to brain tissue, 717

in RA: correspondence, 1100

and renovascular hypertension: correspondence, 1180 risk factor for vascular diseases in SLE, 152

in Sjogren's syndrome, isotype profile and clinical relevance, 889 Anticardiolipin antibody titre, and lupus anticoagulant activity, in SLE, fluctuations, 353: correspondence, 1021

Antigen induced monarticular arthritis, effect of intravenous iron-dextran infusion, rabbits, 1237

Antikeratin antibodies, diagnostic and prognostic markers for early RA, 743: correspondence, 1264

Antinuclear antibodies, positive, in malignancies: correspondence, 573 Antiperinuclear factor, in juvenile rheumatoid arthritis,

correspondence, 1264

Antiphospholipid antibodies

and HLA associations, in primary Sjogren's syndrome, 495

in homozygous sickle cell disease, 671 and pregnancy: correspondence, 1103

Antiphospholipid syndrome

during pregnancy, immunoadsorbent plasmapheresis: case report, 399 in SLE, reassessing status, 160

syndrome in evolution: leader, 147: correspondence, 1180

Antireticulin antibodies, in systemic sclerosis: correspondence, 1103 Antiribosomal P antibodies and lupus psychosis: correspondence, 1104 Aortic insufficiency, acute, in presumed Reiter's syndrome: case report,

Aortic valve cusp rupture, early, in relapsing polychondritis, 413
Arthritic joints, from pigs infected with *E. rhusiopathiae*, detection of

cytokine activated chondrocytes, 978

Arthritis

chronic, prevalence in four geographical areas, Scottish Highlands, 186 collagen induced model, glycosylation of IgG, 1280 P elderly patients, potential for drug interactions: correspondence, 926 induced by intra-articular IgE aggregates, rats, 210

and mycoplasmas: review, 1170

severe, and bone abnormalities, in pachydermoperiostosis: case report,

various forms, plasminogen activators in synovial fluid and plasma, 965 Arthritis induced by cell wall fragments of Eucobacterium aerofaciens, influence of decontamination, rats, 510

Articular cartilage, patellae, proteoglycan synthesis inhibition by TGF a, 643

Articular tissue grafts: leader, 292

Aseptic loosening of total joint replacements, interleukin 1a and a production by pseudosynovial membrane cells, 638

Astrocyte proliferation and binding to brain tissue of anticardiolipin antibodies purified from lupus serum, inhibition, 717 Athroplasty, infected, salvage: masterclass, 910

Autrophasty, infected, salvage: masteriass, 910
Auranofin and sulphasalazine compared, as second line drugs in RA, 461
Autoantibodies, in chronic arthritis of childhood, relations with each other and with histocompatibility antigens, 1301
Autoimmune diseases, affecting the lung, increase in transforming

growth factor B, 362

Autoimmune hepatitis and thyroiditis, and mixed connective tissue disease: case report, 544

Autoimmune rheumatic diseases and hypergammaglobulinaemia: review,

Autoimmunity, and alpha-1,3-galactosyltransferase, 1274 P

Avascular necrosis of the femoral head, brucellosis induced, 7 year old child: case report, 404

B lymphocytes

characterisation of extracellular sialyltransferase activity, 1284 P differentiation antigens, sialylated, generation by human Golgi beta-galactoside alpha-2,6-sialyltransferase, 1285 $\,P$ structure and possible function of proteoglycans, 1285 P

Bacteria, associated with reactive arthritis, aetiological role, in

pauciarticular JCA, 1208 Bacterial induction of arthritis, rats, 510

Balneotherapy, in low back pain, controlled trial: now and then, 820

Behcet's syndrome, conjunctival ulceration: correspondence, 574 Belgium: dispatch, 281

Benzathine penicillin, in long term treatment of chronic Lyme arthritis: case report, 1007 Bezafibrate induced rhabdomyolysis: case report, 536

Bone

abnormalities, and severe arthritis, in pachydermoperiostosis: case report, 416 density, and subsequent bone loss at menopause, risk factor and dietary calcium questionnaire: concise report, 1252

erosion and loss, in RA, intranasal calcitonin in prevention, 761

mass, in rheumatoid arthritis: review, 826 mass in osteoarthritis: review.823

mechanical stimulus: leader, 4

mineral density, and osteoarthritis: leader, 1025 resorption, by cells isolated from rheumatoid synovium, 1223

Britain, 1991: dispatch, 702

Bronchial hyperresponsiveness, to methacholine, in primary Sjogren's syndrome: correspondence, 431

Bronchiolitis obliterans, in SLE: correspondence, 927

Brucellosis induced avascular necrosis of the femoral head, 7 year old child: case report, 404

Bursitis, retrocalcaneal, in juvenile chronic arthritis: case report, 1162

C reactive protein response, increased, and SLE and Jaccoud's arthropathy, 358

Calcinosis, associated with staphylococcal infections in childhood

dermatomyositis, 378

Calcitonin, intranasal, in prevention of bone erosion and loss in RA, 761 Calcium, dietary, questionnaire, and bone density and bone loss at menopause: concise report, 1252

Cancer, increased risk, and SLE, 437

Carbohydrate

cell surface, in immune response, 1273 P

complex, fluorophore assisted carbohydrate electrophoresis, 1270 P -protein interactions, biochemical analyses, 1270 F

Cardiac disease, in SLE, 156

Cardiac tamponade, as initial manifestation of SLE in early childhood: case report, 279 Carrageenan induced inflammation of the air pouch in mice, effect of

sodium aurothiomalate, 112

Cartilage

HLA class II antigen induction: correspondence, 1098

loss, osteoarthritis of the knee, prognostic factors, 12 year follow-up,

proteoglycans, cellular immunity to, relevance to pathogenesis of ankylosing spondylitis, 959

CD antigens, and alpha-2,6-sialyltransferase, 1273 P Cell surface carbohydrates, in immune response, 1273 P

Cerebral occlusive vasculopathy, in SLE, and speculation on part played by complement: case report, 550

Cervical spine, in patients with psoriatic arthritis, 73

Chemiluminescence, neutrophil, induced by different stimuli in RA, effect of fish oil, 877 Chondral abrasion, canine model, preliminary observations, 1057

Chondrocytes, cytokine activated, detection in arthritic joints from pigs infected with *E. rhusiopathiae*, 978

Chromosome 11 locus implicated in susceptibility to HLA-DR4

dependent type I diabetes mellitus also affects RA susceptibility: concise report, 1250 Chromosome studies in systemic sclerosis, with consideration of

antibodies to topoisomerase I, 624

Clavicle, condensing osteitis, MRI as adjunct method for differential diagnosis: case report, 539

Coagulation temperature, effect on complement function measurements, SLE, 892

Cod liver oil, efficacy as adjunct to NSAIDs in osteoarthritis: now and then, 128

Colchicine, acute neuromyopathy after: correspondence, 1267

Colchicine myoneuropathy and renal dysfunction: correspondence, 1343 Cold challenge responses in primary Raynaud's phenomenon and that associated with systemic sclerosis, 1183

Cold pressor testing, failure to induce changes in plasma renin activity or renal duplex sonography in systemic sclerosis: correspondence, 1022

Complement, in cerebral occlusive vasculopathy in SLE: case report, 550 Complement and contact activation to inflammatory reactions in arthritic joints, 1123

Complement factor 2 deficiency, clinical and serological family study, 1254

Complement function measurements, effects of coagulation temperature, SLE, 892

Computer program using Bayes's theorem, rheumatic disorder diagnosis, development and validation, 266

Conferences, international, how to speak: now and then, 1259

Conjunctival ulceration, in Behcet's syndrome: correspondence, 574 Connective tissue disease

crisis, intravenous pulses of cyclophosphamide, short term effects, 885

IgG and IgM anti-snRNP reactivity, 1307 labial salivary gland biopsy complications: concise report, 996

Contact and complement activation to inflammatory reactions in arthritic joints, 1123

Copeman W S C, his importance in contemporary medicine: now and then, 283

Correction, 928

Corticosteroid injections in RA, predictive value of synovial fluid analysis, 874

CR1 expression, and leucocyte integrin, on peripheral blood leucocytes, in rheumatoid arthritis, 307

Creatinine, and uric acid excretion, relation between, 101

Crohn's disease, antibodies to K. pneumoniae, 1296 Cryptogenic chronic active hepatitis, and granulomatous lipophagic

panniculitis and temporal arteritis: case report, 812

Curacao, SLE, epidemiology, 1197

Cyclophosphamide, intravenous pulses, in connective tissue disease crisis, short term effects, 885 Cytokine(s)

activated chondrocytes, detection in arthritic joints from pigs infected with E. rhusiopathiae, 978

circulating levels in RA, double blind trial with sulphasalazine, 946 determination in synovial fluids, 731

production, aberrant, from tenosynovium, in dialysis associated amyloidosis, 797

Cytomegalovirus antigens, in phagocytosed serum complexes, in RA, vasculitis, peripheral neuropathy, cutaneous ulceration, and digital gangrene: case report, 553

Cytoskeleton, importance as mediator of inflammation: review, 565

D-penicillamine, inhibiting neutrophil oxidant secretion, scavenging of H2O2 and HOCl, 321

10-Deazaaminopterin, versus methotrexate, in RA, controlled trial, 600 Dermatomyositis, childhood, staphylococcal infections, association with development of calcinosis, raised IgE concentrations and granulocyte chemoctactic defect, 378

Diabetes mellitus, HLA-DR4 dependent type I, effect of chromosome 11 locus on susceptibility to RA: concise report, 1250

Dichloromethylene bisphosphonate, influence on phagocytosis of hydroxyapatite, 203

Dietary intake and nutritional status in systemic sclerosis, 1143

Digital vasculitis after splenectomy in Felty's syndrome: case report, 908 1,25-Dihydroxyvitamin D3 synthesis by synovial fluid macrophages from arthritic joints, inhibition by prostaglandin E1 and E2, 632

Disability, prediction, longitudinal sample, RA, 581 Discitis, infectious, caused by E. cloacae: case report, 906

Discoid eczema, dose related reactions to gold, 881 Disease activity score: correspondence, 140

Disseminated intravascular coagulation, renal and liver damage, predominant manifestations of recurrent relapses, juvenile rheumatoid arthritis, 347

Diuretic induced gout, a multifactorial condition, 259 DNA strand breaks, increased, in mononuclear cells in RA, 8

Drug derived radicals, mediators of side effects of anti-inflammatory drugs: viewpoint, 1261

Drug interactions, in elderly patients with arthritis: correspondence, 926

E-selectin expressing cells, and poorly metastatic colonic cells, 1277 P Eastern Europe: dispatch, 563

Editorial board, new: leader, 433 Editorial office moved from Truro to Nottingham: leader, 433

Education, and common rheumatic diseases, Sweden, 50-70 years, 835 Egypt honours Imhotep, 1928, 1191

Encore. 144, 432

Endothelin-1 plasma concentrations, in polyarteritis nodosa: correspondence, 704 Enterobacter cloacae,, causing infectious discitis: case report, 906

Epitope modelling in glycoimmunology, 1270 P
Erysipelothrix rhusiopathiae, infected pigs, detection of cytokine activated chondrocytes in arthritic joints, 978

Erythrocyte C3b receptor, reduced, and yersinia triggered reactive arthritis, 97

Erythrocyte membrane, action of sodium aurothiomalate, 969 Erythropoietin

blunted response to anaemia of RA, 753

recombinant human, in anaemia of RA, 747

Eucohacterium aerofaciens cell wall fragments inducing arthritis, influence of decontamination, rats, 510

Exercise induced release of von Willebrand factor in RA, 1117

Fc-N-glycosylation of IgG role in production of TNF alpha, 1279 P Felty's syndrome, digital vasculitis after splenectomy: case report, 908
Ferritin, serum, evaluation as marker for adult Still's disease activity: case report, 683

Fibromyalgia, and sleep apnoea syndrome, lack of association between,

Fibronectin mRNA, localisation in rheumatoid synovium by in situ hybridisation, 735

Fibronectin for pannus extension induction on rheumatoid articular cartilage, 869 Fish oil, effect on neutrophil chemiluminescence induced by different

stimuli in RA, 877 Fluorophore assisted carbohydrate electrophoresis, for analysis of

complex carbohydrates, 1270 P Folate supplementation, value in RA treated with methotrexate: review,

Food intolerance in RA

clinical and histological aspects, 303

double blind, controlled trial of clinical effects of elimination of milk allergens and azo dyes, 298

Footpump, venous, influence on tissue perfusion and prevention of venous thrombosis: review, 1173

Fracture thresholds in osteoporosis, implications for hormone replacement treatment, 1063

Fractures, and urinary excretion of pyridinium crosslinks of collagen, 648 Free light chain immunoglobulins, increased excretion in active lupus nephritis, 168

Free radicals, absence of specific effect on HLA-B27, 963 Fungal arthritis: review, 690

Gait analysis in ankylosing spondylitis, 898

beta-Galactoside alpha-2,6-sialyltransferase, in generation of group of sialylated B lymphocyte differentiation antigens, 1285 P alpha-1,3-Galactosyltransferase, and autoimmunity, 1274 P

beta-1,4-Galactosyltransferase, long and short forms, characterisation,

Gallium-67 citrate, and 99mTC diphosphonate bone scanning compared, in early diagnosis of infectious spondylodiscitis, 665 'GALS' locomotor screen: now and then, 1165

Gammaglobulin, intravenous, in treatment of severe thrombocytopenia in SLE: concise report, 1149

Gastroduodenal damage in rheumatology, misoprostol in prevention: review, 1089

Genes, and IgG glycosylation in autoimmune and non-autoimmune strains, mice, 1275 P

Genital tract, female, giant cell arteritis with temporal arteritis: case report, 900

Germany: dispatch, 1164

Giant cell arteritis

female genital tract, with temporal arteritis: case report, 900 and von Willebrand factor antigen: correspondence, 1182

Giant cell tumours, mandible and spine, complicating Paget's disease of bone, 1335 Glomerulonephritis, and oligoarthritis, associated with selective IgA

deficiency: case report, 123
Glutathione redox cycle enzymes and selenium in severe RA, 1044

Glycoimmunology, epitope modelling, 1270 P beta-2 Glycoprotein I, reduced serum, in SLE: correspondence, 1099 Glycoproteins, mass spectrometric strategies for characterising, 1269 P

phosphatidylinositol, structure and role in parasitic Glycosylated diseases, 1282 P

Glycosylation

alterations of acute phase proteins, in SLE and RA, monocyte capabilities, 67

changes in RA, potential mechanisms controlling, investigation, 1284 P of IgG

abnormalities, clinical aspects, 1279 P

in collagen induced model of arthritis, 1280 P in malignant cells, altered regulation, 1281 P networks, in rheumatic disease, 1276 P

profiles, of chimeric human/mouse antibodies produced in vivo and in vitro, 1272 P

status, determining, importance of IgG preparation, 1284 P Glycosyltransferase activity, serum and lymphocytic, in rheumatic disease, variation, 1284 $\,P\,$

Gold

intramuscular, in RA, and decreased levels of H. pylon colonisation, 1036

pityriasis rosea and discoid eczema, dose related reactions, 881

Gout, diuretic induced, a multifactorial condition, 259

Granulocyte activation, sulphasalazine inhibition by inhibition of second messenger compounds, 1230

Granulocyte chemotactic defect, associated with staphylococcal infections in childhood dermatomyositis, 378

Granulomatous lipophagic panniculitis and temporal arteritis, in cryptogenic chronic active hepatitis: case report, 812

Group G streptococcal pharyngitis, and reactive arthritis: correspondence,

Gut mucosa, adhesion of rheumatoid mononuclear cells: rapid report, 126: correspondence, 926

Haemorrhagic gastric erosion, severe, and Sjogren's syndrome: correspondence, 139

Hallucinations, pamidronate associated: correspondence, 927

Hand radiography, indicator of upper cervical disease in RA: correspondence, 573

Health Assessment Questionnaire compared with modified version, health status, RA, 1202

Health of the nation and osteoporosis: now and then, 914

Heart, in ankylosing spondylitis: leader, 705

Helicobacter pylori, decreased level of antibodies against, and intramuscular gold treatment of RA, 1036

Hepatitis, sulphasalazine induced, in juvenile rheumatoid arthritis: case

report, 275: correspondence, 1024, 1264

Heredofamilial deficiency of monocyte esterase, in RA, 668 High performance liquid chromatography, in methylprednisolone acetate induced release of cartilage proteoglycans, 214

Hip, osteoarthritis, radiographic patterns and associations, 1111 Hip joints, and osteoarthritis, tests on hypotheses, 485

Histiocytic necrotising lymphadenitis, in SLE: case report, 805 Histone, antibodies to

JCA, 1301

in SLE, 61
HIV, false positive results in SLE, two men: concise report, 1071

differences between MCTD and SLE, 52 and Wegener's granulomatosis, 246

and antiphospholipid antibodies, association, in primary Sjogren's syndrome, 495

association with other autoantibodies in ICA, 1301

class I expression, measurement in ankylosing spondylitis, 1138 class II antigen induction in cartilage: correspondence, 1098

markers, sex ratios, and rheumatic diseases: correspondence, 1098 phenotype, nervous system disease, and immunological features, in Sjogren's syndrome, 506
HLA-A2-B27 rheumatoid arthritis, seronegative, with sacroillitis,

ulcerative colitis complicating: case report, 1009

HLA-B27.5 and Klebsiella pneumoniae, absence of autoantibodies to shared peptides in serum samples from HLA-B27 positive patients with ankylosing spondylitis and Reiter's syndrome, 783 HLA-B27

absence of specific effect of free radicals, 963

allele, RFLP and sequencing, ankylosing spondylitis, 855 associated Achilles tendinitis, longstanding: correspondence, 1265

environmental factors and articular involvement, interplay, in psoriatic arthritis, 78

epitope, sulphydryl reactivity, 456

positive spondyloarthritis and polyarteritis nodosa, coexisting: case report, 1338 subtypes, implications for the spondyloarthropathies: leader, 929

HLA-D region genes, importance of DR and DQ genes in conferring susceptibility to RA, 23: correspondence, 1023

HLA-DR1 and DR4 subtypes, sequence similarity between, associated with RA and proteus/serratia membrane haemolysins: concise report,

HLA-DR4 dependent type I diabetes mellitus, effect of chromosome 11 locus on susceptibility to RA: concise report, 1250

Hormone replacement treatment, and fracture thresholds in

osteoporosis, 1063

HTI.V-I

associated arthritis, characteristics of HTLV-I virus infected T cell line from synovial fluid: case report, 673

primary Sjogren's syndrome with antibodies to, clinical and laboratory features, 769

Human parvovirus, possible induction of SLE: case report, 803 (E)-4-Hydroxy-2-nonenal, occurrence in plasma and synovial fluid, RA and osteoarthritis, 481

phagocytosis, influence of Hydroxyapatite, dichloromethylene bisphosphonate, 203

Hydroxychloroquine, long-term treatment in SLE and RA, 1318 25-Hydroxyvitamin D3, differential metabolism, by cultured synovial

fluid macrophages, in arthritis, 220 Hypergammaglobulinaemia, and autoimmune rheumatic diseases: review, 1185

Hyperostosis sternocostoclavicular, progression and radiological features, 658

Hypocomplementaemia, associated with pregnancy in SLE, 619

Hypoxic reperfusion microvascular injury, in RA, and von Willebrand factor, 1117

Imferon, see Iron-dextran

Imhotep, Egypt honours, 1928, 1191

Immune complexes, in ankylosing spondylitis, 83

Immune responses, local, in certain extra-articular manifestations of RA: hypothesis, 698 Immunoblotting, to measure IgA antibody response to klebsiella, in

ankylosing spondylitis, 233 Immunocompetent cells, characteristics in synovial membranes from

multiple sites in RA, 1066 Immunofluorescence microscopy of healthy skin in SLE, more than just

the lupus band, 720 Immunoglobulin A

antibody response to klebsiella, in ankylosing spondylitis, measured by immunoblotting, 233 serum

as IgA1 monomers, increased levels in ankylosing spondylitis, 790 in IgA nephropathy, has altered terminal oligosaccharide profile, 1283

Immunoglobulin E

aggregates, intra-articular, inducing arthritis, rats, 210 raised concentrations, associated with staphylococcal infections in

childhood dermatomyositis, 378

Immunoglobulin G

abnormalities in oligosaccharide moieties, in myotonic dystrophy, 1283

agalactosyl, interleukin 6, and pregnancy, 1278 P agalactosylated, modified function, 1277 P

anti-snRNP reactivity, connective tissue diseases, 13(antibodies to RNP p67 polypeptide, in SLE, 1313 Fc epitopes, changes in rheumatoid disease, 1281 P

glycosylation and genes, autoimmune and non-autoimmune strains, mice, 1275 P

glycosylation status, effects on polyclonal rheumatoid factor binding, analysis, 1284 P

preparation, importance when determining glycosylation status, 1284

rheumatoid factor synthesis, in synovial fluid: correspondence, 1342 Immunoglobulin M, anti-snRNP reactivity, connective tissue diseases,

Immunoglobulin supergene family, 1271 P

Immunological features, nervous system disease, and HLA phenotype, in Sjogren's syndrome, 506

Immunotherapy of RA: review, 424; leader, 577

In situ hybridisation, and localisation of fibronectin mRNA in rheumatoid synovium, 735 India: dispatch, 1088

India, adult onset Still's disease, clinical experience with 18 patients over 15 years, 529

Indomethacin, analgesic effect on nociceptive flexion reflex, 391

Indonesia, rheumatic diseases, epidemiology, 525 Infection, pneumonitis, and methotrexate: correspondence, 1179

Infectious arthritis, in RA: case report, 402 Infectious spondylodiscitis, 99mTc diphosphonate and 67Ga citrate bone scanning compared, 665

Inflammation

acute and chronic, expression of (sialyl)-Lewis X groups on human alpha acid glycoprotein during, $1283\ P$

importance of cytoskeleton as mediator: review, 565

joint, acute, alters adrenoceptor profile of synovial blood vessels in knee joints, rabbits, 1129

role of sympathetic nervous system: review, 1188

Inflammatory arthritis, role of substance P: review, 1014
Inflammatory arthropathy, comparison of two yttrium-90 regimens, 262
Inflammatory diseases, and keratan sulphate, 1134

Inflammatory reactions in arthritic joints, contact and complement activation, 1123

Infrared thermography, computerised, and isotopic bone scanning, in tennis elbow, 103

Inherited factors, contribution to RA, 182

Insect protein, 63 kilodalton, antibody to, in ankylosing spondylitis, 334 Insulin-like growth factor I gene expression, osteoarthritic human articular cartilage lesions, 440 upregulation, in

Intensive care, and outcome of systemic rheumatic disease, 627

Interferon gamma

glycosylation, control, 1278 P

recombinant, in RA, double blind placebo controlled study, 1039 treatment in RA, neutrophil Fc gamma receptor I expression increase following, 465

Interleukin 1, blunted response to anaemia of RA, 753

Interleukin 1-alpha and beta production by cells isolated from membranes around aseptically loose total joint replacements, 638 Interleukin 2 receptors

increased excretion in active lupus nephritis, 168 soluble, in polymyositis/dermatomyositis, 781

Interleukin 6

agalactosyl IgG, and pregnancy, 1278 P

synthesis by synoviocytes, production, in arthritic disease, 198 Interleukin 8/neutrophil activating peptide 1, normal production in

monocytes from subjects with previous yersinia triggered reactive arthritis: correspondence, 572

Intracranial hypertension syndrome, benign, SLE presenting as, primary Sjogren's syndrome preceding: case report, 808

Iron complexes, effect on adjuvant arthritis, rats, 516
Iron-dextran (Imferon) infusion, intravenous, effect on antigen induced

monarticular arthritis, rabbits, 1237
Isoniazid, inducing SLE: case report, 1085
Isotopic bone scanning, and computerised infrared thermography, in tennis elbow, 103

Isotype profile and clinical relevance of anticardiolipin antibodies in Sjogren's syndrome, 889

Jaccoud's arthropathy, and SLE, clinical subset with increased C reactive protein response, 358

Joint disorders, changing profile with age, 367

Joint hypermobility in adults referred to rheumatology clinics, 793

general, and temporomandibular joint derangement, in adolescents, 87 Joint pain, chronic, role of sympathetic nervous system: review, 1188 Juvenile rheumatoid arthritis

antiperinuclear factor, 350: correspondence, 1264

assessment of pain, 343

autoantibodies to, relation between and with HLA, 1301

confused with pachydermodactyly: correspondence, 1101

disseminated intravascular coagulation, renal and liver damage, predominant manifestations of recurrent relapses, 347

pauciarticular, aetiological role of bacteria associated with reactive arthritis, 1208

predictive value of synovial fluid analysis, 522 and retrocalcaneal bursitis: case report, 1162

and sulphasalazine induced hepatitis: case report, 275: correspondence, 1024, 1264

Keratan sulphate, in RA, osteoarthritis, and inflammatory diseases, 1134 Keratan sulphate in synovial fluid, effect of piroxicam, 850 Klebsiella, IgA antibody response, in ankylosing spondylitis, measured by

immunoblotting, 233

Klebsiella pneum

antibodies to in ankylosing spondylitis and Crohn's disease, 1296

and HLA-B27.5, absence of autoantibodies to shared peptides in serum samples from HLA-B27 positive patients with ankylosing spondylitis and Reiter's syndrome, 783

Klinefelter's syndrome, and vasculitis: correspondence, 1266

Knee contractures, as presenting manifestation of scleroderma: case report, 810

Knee joint

in osteoarthritis, radiographic assessment, 80: correspondence, 1345 synovial blood vessels, acute joint inflammation alters adrenoceptor profile, rabbits, 1129 triggering, and intra-articular rheumatoid nodules, 533

Knee osteoarthritis

11 year radiological progression, 1107 seriousness: leader, 1105

Labial salivary gland, lesions, in primary Sjogren's syndrome, 777

Labial salivary gland biopsy, in investigation of connective tissue disorders, complications: concise report, 996

Laryngeal carcinoma, polyarthritis as presenting symptom of occurrence and recurrence: case report, 556

Lectin binding, in human developing and term placenta, histochemical study, 1284 P

Leiomyomas, multiple, skin, in RA: correspondence, 1100

Leucocyte integrin, and CR1 expression on peripheral blood leucocytes, in RA, 307

Lifestyle, and common rheumatic diseases, Sweden, 50-70 years, 835

Lipids, fasting, risk factor for vascular diseases in SLE, 152

products in inflammatory synovial fluids and other Lipoxygenase exudates, 1215

Locomotor disease, and medical training: leader, 434 Lornoxicam, in hip and knee osteoarthritis, 238

Low back pain, balneotherapy, controlled trial: now and then, 820 Lupus anticoagulant activity, and anticardiolipin antibody titre, in SLE, fluctuations, 353: correspondence, 1021

Lupus nephritis, increased urinary soluble IL-2R and free light chain immunoglobulins, 168

Lupus psychosis, and antiribosomal P antibodies: correspondence, 1104 Lyme arthritis, chronic, long term treatment with benzathine penicillin: case report, 1007

Lymphoma, chemotherapy, and remission of scleroderma: case report,

Lysosomal membrane glycoprotein, increase in cell surface of metastatic colonic cells, 1277 $\,P\,$

Macrosialin, a macrophage restricted late endosomal glycoprotein, modulation by endocytosis, 1285 P

Magnetic resonance imaging as adjunct method in differential diagnosis of condensing osteitis of the clavicle: case report, 539

in rheumatology: review, 1287
Malignancies, positive antinuclear antibodies: correspondence, 573 Malignant cells, altered regulation of glycosylation, 1281 P

Mannose binding protein and infection, 1280 P Mastocytosis, and Sjogren's syndrome: case report, 277: correspondence,

Mesangial cells, inhibition by antibodies to dsDNA, in SLE, 162 Methacholine, bronchial hyperresponsiveness, in primary Sjogren's

syndrome: correspondence, 431 Methotrexate

low dose pulses, and remission in Takayasu's arteritis: case report, 904 in RA, value of folate supplementation: review, 1019

successful reintroduction after pneumonitis in RA: case report, 272: correspondence, 1179 treatment of RA, is a fortnightly maintenance schedule enough?, 1330

versus 10-deazaaminopterin, in RA, controlled trial, 600 Methylprednisolone acetate induced release of cartilage proteoglycans,

HPLC determination, 214

Metronidazole, as disease modifying agent in RA, 758 Microalbuminuria, in systemic sclerosis, 384

Microglobulin, beta-2, in tear fluid, primary Sjogren's syndrome, 503 Misoprostol, in prevention of gastroduodenal damage in rheumatology: review, 1089

Mixed connective tissue disease

adolescent, and recovery from pulmonary hypertension, 1001 and autoimmune hepatitis and thyroiditis: case report, 544 presenting as left sided pleural effusion: case report, 1157

and SLE, HLA antigen differences, 52 Monarthritis, unusual presentation of renal cell carcinoma: case report, 681: correspondence, 1182

Monoclonal gammopathies, and ankylosing spondylitis, 951 Monocyte esterase, heredofamilial deficiency, in RA, 668

Mononuclear cells, rheumatoid, adhesion to gut mucosa: rapid report,

126: correspondence, 926
Muscle strength, endurance, and aerobic capacity, in RA, 35

Mycobacterium kansasii osteitis of the ischium: correspondence, 1102

Mycoplasmas and arthritis: review, 1170
Mycotic aneurysm of aortic arch masquerading as SLE: case report, 1079 Myocardial dysfunction, in ankylosing spondylitis, 227

Myositis, idiopathic, rheumatological view, 41

Myotonic dystrophy, abnormalities in oligosaccharide moieties of IgG, 1283 P

Natural killer cell function, in SLE, effects of ultraviolet irradiation, 726 Nervous system disease, immunological features, and HLA phenotype, in Sjogren's syndrome, 506

Netherlands: dispatch, 1012 Neurogenic bladder, due to peripheral neuropathy, and visual disturbance, in SLE: case report, 547

Neuromyopathy, acute, after colchicine treatment: correspondence, 1267 Neutrophil activating peptide 1/interleukin 8, normal production in monocytes from subjects with previous yersinia triggered reactive arthritis: correspondence, 572 Neutrophil activating peptide/interleukin 8, human, acts as autoantigen

Neutrophil Fc gamma receptor I expression, following interferon gamma treatment in RA, 465 Neutrophil Fc gamma receptor mediated transmembrane signalling,

impairment, in active RA, 594
Neutrophil oxidant secretion, inhibition by D-penicillamine, scavenging of H2O2 and HOCl, 321

Night pain in arthritis, patients at risk from prescribed night sedation,

Nitric oxide synthesis in rheumatic diseases, 1219

Nociceptive flexion reflex, analgesic effect of indomethacin, 391 Nodules, rheumatoid, intra-articular, and triggering of knee joint, 533 Nodulosis, rheumatoid, palmar, associated with local pressure: case report, 1005

Non-steroidal anti-inflammatory drug, -induced upper gastrointestinal side effects, prophylaxis against: corresp

Notes and news, 7, 151, 297, 436, 580, 1027, 1192, 1295 Nutritional status and dietary intake, in systemic sclerosis, 1143

Occupation, and common rheumatic diseases, Sweden, 50-70 years, 835 Occupational environmental factors and occurrence of scleroderma in men, 1322

Oligoarthritis

clinically silent infections, 253

and glomerulonephritis, associated with selective IgA deficiency: case report, 123 Oligosaccharide moieties of IgG, abnormalities, in myotonic dystrophy,

1283 P

Organic brain syndrome with psychosis, as initial manifestation of SLE, elderly woman: case report, 117: correspondence, 1104
Osler-Rendu-Weber disease, pseudohaemarthrosis a new manifestation:

correspondence, 1021

Osteitis, condensing, of the clavicle, MRI as adjunct method for differential diagnosis: case report, 539

Osteitis of the ischium, M. kansasii: correspondence, 1102

Osteoarthritis

articular cartilage lesions, upregulation of insulin-like growth factor I gene expression, 440

bone mass: review, 823

and bone mineral density: leader, 1025

cod liver oil as adjunct to NSAIDs: now and then, 128

radiographic patterns and associations, 1111 septic arthritis complicating: correspondence, 704

and hip joints, tests on hypotheses, 485 hip and knee, lornoxicam, 238

and keratan sulphate, 1134

kne

11 year radiological progression, 1107

cartilage loss, prognostic factors, 12 year follow-up, 932

clinical assessment, evaluation, 243

radiographic patterns, importance of patellofemoral joint, 844 seriousness: leader, 1105

knee joint

radiographic assessment, 80: correspondence, 1345

scintigraphic assessment, 938

occurrence of (E)-4-hydroxy-2-nonenal in plasma and synovial fluid,

Osteoarthropathy, comparison of two yttrium-90 regimens, 262

Osteolysis, primary idiopathic, description of a family: case report, 1074 Osteoporosis

differential involvement of dorsal and lumbar spine: concise report, 1069 fracture thresholds, implications for hormone replacement treatment,

and health of the nation: now and then, 914

postmenopausal, risk factor and dietary calcium questionnaire: concise report, 1252

urinary excretion of pyridinium crosslinks of collagen, and effects of bone fracture, 648

whose problem, specialty responsibility: review, 130

Otitis media, chronic, new extra-articular manifestation in ankylosing spondylitis?, 655

Outpatient clinic, rheumatology, satisfaction with care, survey, 195

P blood group phenotype, proteus antibody titres, and RA: concise report, 1242

Pachydermodactyly, confused with JCA: correspondence, 1101

Pachydermoperiostosis, bone abnormalities and severe arthritis: case report, 416

Pacific Basin: dispatch, 420, 1340

Paf-acether, presence in rheumatic diseases, 29

Paget's disease of bone, complicated by giant cell tumours in mandible and spine, 1335

Pain, sympathetic nervous system influence: review, 1188
Palmar rheumatoid nodulosis associated with local pressure: case report,

Palmoplantar pustulotic arthro-osteitis of the peripheral joints with no

sternocostoclavicular lesions: case report, 558 Pamidronate associated hallucinations: correspondence, 927

Panarteritis, systemic, giant cell (temporal) arteritis affecting several organs: case report, 1082

Pannus extension induction, fibronectin deposition, importance,

rheumatoid articular cartilage, 869

Parasitic diseases, structures and roles of glycosylated phosphatidylinositols, 1282 P

Patellofemoral joint, importance in knee osteoarthritis, radiographic patterns, 844

Penicillamine, effect on titre of rheumatoid factor, historical perspective:

now and then, 422: correspondence, 1181 Peripheral vascular disease, in SLE, 56

Phagocyte respiratory burst, aglycosylated chimeric human IgG3 can trigger, 1283 P

Piroxicam, effects of keratan sulphate in synovial fluid, 850

Pityriasis rosea, dose related reactions to gold, 881

smapheresis, immunoadsorbent, for antiphospholipid syndrome during pregnancy: case report, 399
Plasminogen activators in synovial fluid and plasma from patients with

various forms of arthritis, 965

Pleural effusion, left sided, mixed connective tissue disease presenting as: case report, 1157

Pneumonia, acute interstitial, and polyarteritis nodosa: correspondence, 1344

Pneumonitis, in RA, successful reintroduction of methotrexate: case report, 272: correspondence, 1179

Polyarteritis, associated with Yersinia enterocolitica infection: case report, 678

Polyarteritis nodosa

and acute interstitial pneumonia: correspondence, 1344 and HLA-B27 positive spondyloarthritis, coexisting: case report, 1338

plasma endothelin-1 concentrations: correspondence, 704

Polyarthritis, as presenting symptom of occurrence and recurrence of laryngeal carcinoma: case report, 556

Polychondritis, relapsing

early aortic valve cusp rupture, 413

and unusual rhombencephalitis: correspondence, 1184
Polyclonal rheumatoid factor, effects of IgG glycosylation status, analysis,

1284 P

Polymorphs, activated, in peripheral blood, RA, 13 Polymyalgia rheumatica, report of case with severe synovitis (synovial cysts): correspondence, 430

Polymyositis/dermatomyositis, soluble interleukin 2 receptors, 781 Postpartum autologous plasma transfusion, effect on RA: correspondence, 1342

Pregnancy

agalactosyl IgG and interleukin 6, 1278 P

and antiphospholipid antibodies: correspondence, 1103

immunoadsorbent plasmapheresis for antiphospholipid syndrome during: case report, 399

Progressive multifocal leucoencephalopathy, central nervous system SLE mimicking: case report, 1152

Prostaglandin E1 and E2, inhibition of 1,25(OH)2D3 synthesis by synovial fluid macrophages from arthritic joints, 632

Proteglycans, human cartilage, as T cell autoantigens: hypothesis, 1094 Protein P, antibodies to, in SLE, 489

of B lymphocytes, structure and possible function, 1285 cartilage

induced arthritis, in BALMB/c mice, dependence on development of

autoantibodies to high density proteoglycans, 983 cellular immunity to, relevance to pathogenesis of ankylosing

spondylitis, 959 effects of tiaprofenic acid (Surgam), rabbit joint immobilisation

model, 448 methylprednisolone acetate induced release, HPLC determination,

214 synthesis, inhibition by TGF β in anatomically intact articular cartilage

of murine patellae, 643

Proteus antibody response, specificity, in RA, 1206
Proteus antibody titres, P blood group phenotype, and RA: concise report,

Proteus/serratia membrane haemolysins, and RA, sequence similarity between HLA-DR1 and DR4 subtypes: concise report, 1245

Pseudohaemarthrosis, new manifestation of Osler-Rendu-Weber disease: correspondence, 1021

Psoriatic arthritis

cervical spine, 73

environmental factors, 78

and sternoclavicular joint disease, 372

Psychosis

lupus, and antiribosomal P antibodies: correspondence, 1104

SLE, and antibodies to ribosomal P protein, 1053 Pulmonary hypertension, recovery, in adolescent with mixed connective

tissue disease: case report, 1001 Pyridinium crosslinks of collagen, urinary excretion, in osteoporosis, and effects of bone fracture, 648

Radiographic assessment, knee joint, osteoarthritis, 80: correspondence,

Rat bite fever, without the bite: case report, 411

Raynaud's phenomenon

associated with systemic sclerosis, cold challenge responses, 1193

in systemic sclerosis, and failure of cold pressor testing: correspondence, 1022

of systemic sclerosis, white blood cell activation, 249

Reactive arthritis, and group G streptococcal pharyngitis: correspondence, 1268

Recombinant human erythropoietin, in anaemia of RA, 747

Regurgitation, and tricuspid stenosis, complicating SLE: case report, 120 Reiter's syndrome

absence of autoantibodies to peptides shared by HLA-B27.5 and Klebsiella pneumoniae niotrogenase in serum samples from HLA-B25 positive patients, 783

presumed, and acute aortic insufficiency: case report, 686

Renal cell carcinoma, presenting as monarthritis: case report, 681: correspondence, 1182

Renal dysfunction, and colchicine myoneuropathy: correspondence, 1343 Renovascular hypertension, and anticardiolipin antibodies: correspondence, 1180

Repetitive strain disorder, towards diagnostic criteria, 974

Repetitive strain injury, arm, relationship between pain, cumulative load, disability, and psychological factors, 1325

Reticulohistiocytosis, multicentric, with arthritis and cardiac infiltration, regression following treatment for underlying malignancy: case report, 815

Retrocalcaneal bursitis, in juvenile chronic arthritis: case report, 1162 Rhabdomyolysis, bezafibrate induced: case report, 536

Rheumatic disease

common, and education, occupation and lifestyle, Sweden, 50-70 years, 835

epidemiology, Indonesia, 525

glycosylation networks, 1276 P Rheumatic disorder, diagnosis, development and validation of computer program using Bayes's theorem, 266

Rheumatic fever, acute, see Acute rheumatic fever

Rheumatoid arthritis

activated polymorphs circulating in peripheral blood, 13

active, impairment of neutrophil Fcgamma receptor mediated transmembrane signalling, 594

anaemia investigation, 469

and angiogenesis, pathogenic and therapeutic implications: review, 919 anticardiolipin antibodies: correspondence, 1100

bone mass: review, 823

circulating cytokine levels, double blind trial with sulphasalazine, 946 clinical application of agalactosyl IgG, 1280 P coexistent with SLE, clinical, serological, and phenotypic features, 173

concordance in same sexed siblings, effect of disease severity, 943 contribution of inherited factors, 182

different capabilities of monocytes to induce glycosylation alterations of acute phase proteins in vitro, 67 early

antikeratin antibodies as diagnostic and prognostic markers, 743: correspondence, 1264

rheumatoid factors, clinical significance, 1029 rifampicin treatment, 32

effect of fish oil on neutrophil chemiluminescence induced by different stimuli, 877

effect of postpartum autologous plasma transfusion: correspondence, 1342

exercise-induced release of von Willebrand factor, 1117 extra-articular manifestations, local immune responses: hypothesis, 698

clinical and histological aspects, 303 double blind, controlled trial of clinical effects of elimination of milk allergens and azo dyes, 298

functional capacity, validity of patients' opinions, 765 heredofamilial deficiency of monocyte esterase, 668

and HLA-D, importance of DR and DQ genes in conferring susceptibility, 23: correspondence, 1023 human neutrophil activating peptide/interleukin 8 as autoantigen, 19 immunocompetent cells in synovial membranes, 1066

immunotherapy: leader, 577

increased prevalence of poor sulphoxidation, 318

and infectious arthritis: case report, 402

intranasal calcitonin in prevention of bone erosion and loss, 761

and keratan sulphate, 1134

leucocyte integrin and CR1 expression on peripheral blood leucocytes, 307

long term hydroxychloroquine treatment, 1318

measuring health status, HAQ and modified HAQ compared, 1202 methotrexate treatment, is a fortnightly maintenance schedule enough?

methotrexate versus 10-deazaaminoptrin, controlled trial, 600 metronidazole as disease modifying agent, 758 mononuclear cells, increased DNA strand breaks, 8

multiple leiomyomas of the skin: correspondence, 1100

muscle strength, endurance, and aerobic capacity, 35

neutrophil Fcgamma receptor I expression increase following interferon gamma treatment, 465

occurrence of (E)-4-hydroxy-2-nonenal in plasma and synovial fluid,

P blood group phenotype and proteus antibody titres: concise report, 1242

proteus antibody response, specificity, 1206

and proteus/serratia membrane haemolysins, sequence similarity between HLA-DR1 and DR4 subtypes: concise report, 1245 recombinant IFN-gamma treatment, double blind placebo controlled

study, 1039

selenium and glutathione redox cycle enzymes, 1044

severity, sex differences in Health Assessment Questionnaire scores, 473

skin rashes and stomatitis after parenteral sodium aurothiomalate, 326 slow acting antirheumatic drugs: review, 424

substance P binding to human synovial tissue, localisation and characterisation, 313

successful reintroduction of methotrexate after pneumonitis: case report, 272: correspondence, 1179

sulphasalazine and auranofin compared as second line drugs, 461

synovial lining cell function, 992 treated with methotrexate, value of folate supplementation: review, 1019 in twins, 588

validity of measures of disease activity, 177

Rheumatoid factor

in early RA, clinical significance, follow up study, 1029

effect of penicillamine on titre, historical perspective: now and then, 422: correspondence, 1181

isotypes, importance, population study, adults, 863 Rheumatoid mononuclear cells, adhesion to gut mucosa: rapid report, 126: correspondence, 926

Rheumatoid nodule

cells, constitutive production of angiotensin converting enzyme under serum free conditions, 741 infiltrating: case report, 688

Rheumatology MRI: review, 1287

outpatient clinic, satisfaction with care, survey, 195

Rhombencephalitis, unusual, in relapsing polychondritis: correspondence,

Ribonucleoprotein p67 polypeptide, clinical associations in SLE, 1313 Ribosomal P protein, antibodies, correlation with psychosis in SLE, 1053 Rifampicin, early RA treatment, 32

Rubella associated persistent arthritis, sequential follow up observations: case report, 407

Salicylate ototoxicity, symptomatic, useful indicator of serum salicylate concentration: correspondence, 704
Salivary flow, whole unstimulated, measurement, in Sjogren's syndrome

diagnosis, 499

Salmonella peritonitis, and splenic abscess, in SLE: correspondence, 140 Salvage of infected arthroplasty: masterclass, 910 Scheie's syndrome, articular manifestations: case report, 542

Scintigraphic assessment, osteoarthritis of the knee joint, 938 Scleroderma, ar Systemic sclerosis

Scleromyxoedema with features of systemic sclerosis: case report, 1159 Scottish Highlands, four geographical areas, prevalence of chronic arthritis, 186

Second messenger compounds, inhibition, and sulphasalazine inhibition

of human granulocyte activation, 1230 Sedation, and night pain in arthritis, 972 Selective IgA deficiency, associated associated with glomerulonephritis and oligoarthritis: case report, 123 Selenium, in RA, and glutathione redox cycle enzymes, 1044

Septic arthritis, complicating hip osteoarthritis: correspondence, 704

Sex ratios, HLA markers, and rheumatic diseases: correspondence, 1098
Sialyl-Lewis X groups, expression on alpha acid glycoprotein during acute and chronic inflammation, 1283 P

Sialyl Lewis X groups, on human alpha-1 acid glycoprotein, inflammation induced expression, 1271 $\,P$

alpha-2,6-Sialyltransferase, and CD antigens, 1273 P

Sialyltransferase activity, extracellular, in B lymphocytes, characterisa-

Sickle cell disease, homozygous, antiphospholipid antibodies, 671 Siebrandus Sixtius, evidence of RA of robust reaction type in seventeenth century Dutch priest: now and then, 561

Sjogren's syndrome damage to endothelium, 389

increased urinary tract infection, 604

labial salivary gland biopsy complications: concise report, 996 and mastocytosis: case report, 277: correspondence, 1183

nervous system disease, immunological features, and HLA phenotype, 506

primary

with antibodies to HTLV-I, clinical and laboratory features, 769

antiphospholipid antibodies and HLA associations, 495 beta-2 microblobulin in tear fluid, 503

bronchial hyperresponsiveness to methacholine: correspondence, 431

labial salivary gland lesions, 777

preceding presentation of SLE as benign intracranial hypertension syndrome: case report, 808

and severe haemorrhagic gastric erosion: correspondence, 139

slow viruses and immune system, local tissue damage: hypothesis, 136 stepwise approach to use of diagnostic tests, 607

whole unstimulated salivary flow measurement in diagnosis, 499 Skin rashes and stomatitis, after parenteral sodium aurothiomalate for

Sleep apnoea syndrome, and fibromyalgia, lack of association between, 108

Slow drugs, slow progress, use of slow acting antirheumatic drugs in RA: ew, 424

snRNP, IgG and IgM antibodies, in connective tissue diseases, 1307 Sodium aurothiomalate

action on erythrocyte membrane, 969

effect on carrageenan induced inflammation of the air pouch, mice, 112

parenteral, for RA, skin rashes and stomatitis after, 326

Spain: dispatch, 818

Speaking at international conferences: now and then, 1259

Spine, dorsal and lumbar, differential involvement, osteoporosis: concise report, 1069

Splenectomy, in Felty's syndrome, digital vasculitis after: case report, 908 Splenic abscess, and salmonella peritonitis, in SLE: correspondence, 140 Spondyloarthropathies

and HLA-B27 subtypes: leader, 929

sulphasalazine treatment, evaluation, 955

Staphylococcal infections, in childhood dermatomyositis, association with development of calcinosis, raised IgE concentrations and granulocyte chemotactic defect, 378

Sternoclavicular joint disease, in psoriatic arthritis, 372

Sternocostoclavicular hyperostosis, progression and radiological features, 658

Still's disease

adult, activity, evaluation of serum ferritin as marker: case report, 683 adult onset, clinical experience with 18 patients over 15 years, northern India, 529

Stomatitis, and skin rashes, after parenteral sodium aurothiomalate for RA, 326

Substance P

binding to human synovial tissue in RA, localisation and characterisation, 313

role in inflammatory arthritis: review, 1014

Sulphasalazine

and auranofin compared, as second line drugs in RA, 461 and circulating cytokine levels in RA, double blind trial, 946 evaluation in treatment of spondyloarthropathies, 955 induced hepatitis, in juvenile rheumatoid arthritis: case report, 275:

correspondence, 1024, 1264

inhibition of human granulocyte activation by inhibition of second messenger compounds, 1230
Sulphoxidation, poor, increased prevalence in RA, 318

Sulphydryl reactivity of HLA-B27 epitope, 456 Surgam, see Tiaprofenic acid

Sweden, education, occupation and lifestyle, and common rheumatic complaints, 50-70 years, 835

Sympathetic nervous system, role in chronic joint pain and inflammation:

Synovial fluid

analysis

predictive value for corticosteroid injections, RA, 874 predictive value in juvenile chronic arthritis, 522 determination of cytokines, 731

IgG rheumatoid factor synthesis: correspond dence, 1342

increased nitrite, suggests increased NO synthesis in rheumatic diseases, 1219

inflammatory, and other exudates, lipoxygenase products, 1215 and plasma, plasminogen activators, from patients with various forms of arthritis, 965

Synovial lining cell function in RA, 992

Synovial membrane

from multiple sites, immunocompetent cells, RA, 1066

rheumatoid, and production of angiotensin converting enzyme, 476 (synovial cysts), and polymyalgia rheumatica: Synovitis, severe correspondence, 430

Synovium, rheumatoid, bone resorption by cells isolated from, 1223

Systemic lupus erythematosus antibodies to histones, 61

antibodies to protein P, 489 and antiphospholipid syndrome, reassessing status, 160

autoantibodies to T and B cell lines, 713

and bronchiolitis obliterans: correspondence, 927

canine, and aetiology of human form: leader, 833

and cardiac disease, 156

on Caribbean island of Curacao, epidemiology, 1197

central nervous system, mimicking progressive multifocal leucoencephalopathy: case report, 1152

childhood onset, long term immunological study, 45 clinical association of IgG antibodies to RNP p67 polypeptide, 1313 complicated by tricuspid stenosis and regurgitation, successful treatment by valve transplantation: case report, 120 different capabilities of monocytes to induce glycosylation alterations

of acute phase proteins in vitro, 67

diversity and pattern of inheritance of autoantibodies in families with multiple cases, 611

in early childhood, cardiac tamponade as initial manifestation: case report, 279

effects of coagulation temperature on complement function measurements, 892

effects of ultraviolet irradiation on natural killer cell function, 726

epidemiology: review, 1292

false positive results for antibody to HIV, two men: concise report, 1071 and histiocytic necrotising lymphadenitis: case report, 805 immunofluorescence microscopy of healthy skin, more than just the lupus band, 720

and increased risk of cancer, 437

induced by isoniazid: case report, 1085

and Jaccoud's arthropathy, clinical subset with increased C reactive protein response, 358

long term hydroxychloroquine treatment, 1318

lupus anticoagulant activity and anticardiolipin antibody titre, fluctuations, 353: correspondence, 1021

and MCTD, HLA antigen differences, 52

in men, clinical and immunological characteristics, 1050

mycotic aneurysm of aortic arch masquerading as: case report, 1079 neurogenic bladder due to peripheral neuropathy, and a visual disturbance: case report, 547 and peripheral vascular disease, 56

possible induction by human parvovirus: case report, 803

preceded by thrombotic thrombocytopenic purpura: case report, 396 pregnancy, risk factors, and hypocomplementaemia, 619

presenting as benign intracranial hypertension syndrome, primary Sjogren's syndrome preceding: case report, 808 and psychopathology: review, 134
psychosis, and antibodies to ribosomal P protein, 1053

rash, prevalence and relation to cutaneous and non-cutaneous disease manifestations, 717

and reduced serum beta-2 glycoprotein I: correspondence, 1099 salmonella peritonitis and splenic abscess: correspondence, 140 severe thrombocytopenia, intravenous gammaglobulin treatment:

concise report, 1149

Systemic rheumatic disease, outcome after admittance to medical intensive care units, 627 Systemic sclerosis

antireticulin antibodies: correspondence, 1103

chromosome studies, with consideration of antibodies to topoisomerase I, 624

cold challenge responses, Raynaud's phenomenon, 1193

cold pressor testing failure to induce changes in plasma renin activity or renal duplex sonography: correspondence, 1022 features in scleromyxoedema: case report, 1159

knee contractures as presenting manifestation: case report, 810

and microalbuminuria, 384 occurrence in men, occupational environmental factors, 1322

pathogenesis, brief overview: review, 286

remission during chemotherapy for lymphoma: case report, 998

T and B cell lines, autoantibodies to, in SLE with lymphopenia and hypocomplementaemia, 713

T cell autoantigens, human cartilage proteoglycans as: hypothesis, 1094 Takayasu's arteritis, remission with low dose pulses of methotrexate: case report, 904

Tear fluid, beta-2 microglobulin in, primary Sjogren's syndrome, 503

Technetium-99m diphosphonate, and gallium-67 citrate bone scanning compared, in early diagnosis of infectious spondylodiscitis, 665

Temporal arteritis

form of systemic panarteritis: case report, 1082 with giant cell arteritis, female genital tract: case report, 900

and granulomatous lipophagic panniculitis, in cryptogenic chronic active hepatitis: case report, 812

Temporomandibular joint derangement, and general joint hypermobility, adolescents, 87

Tennis elbow, computerised infrared thermography and isotopic bone scanning, 103

Tenosynovium, aberrant cytokine production from, in dialysis associated

amyloidosis, 797

Terminal oligosaccharide profile, altered by serum IgA in IgA

nephropathy, 1283 PThrombocytopenia, severe, in SLE, intravenous gammaglobulin

treatment: concise report, 1149
Thrombotic thrombocytopenic purpura, preceding SLE: case report, 396
Thyroiditis and autoimmune hepatitis, and mixed connective tissue

disease: case report, 544
Tiaprofenic acid (Surgam), effects on cartilage proteoglycans, rabbit joint immobilisation model, 448

Topoisomerase I, antibodies to, and chromosome studies in systemic sclerosis, 624

Training, medical, and rheumatology: leader, 434

Transforming growth factor beta

in autoimmune diseases affecting the lung, 362 and inhibition of proteoglycan synthesis, in anatomically intact articular cartilage of murine patellae, 643

Tricuspid stenosis and regurgitation, complicating SLE: case report, 120
Tumour necrosis factor alpha, production, role of Fc-N-glycosylation of IgG, 1279 P

Ulcerative colitis, complicating seronegative HLA-A2-B27 rheumatoid arthritis with sacroiliitis: case report, 1009

Ultraviolet irradiation, effects on natural killer cell function in SLE, 726 Upper cervical disease in RA, hand radiography as indicator: correspondence, 573

Upper limb disorder, work related, relationship between pain, cumulative load, disability, and psychological factors, 1325

Urate, renal clearance, genetic control, twin study, 375

Uric acid excretion, and creatinine, relation between, 101

Uridine diphosphoglucose dehydrogenase activity in synovial lining cells in RA, 992

Urinary tract infection, increased incidence in RA and secondary Sjogren's syndrome, 604

Vascular disease, in SLE, fasting lipids and anticardiolipid antibodies as risk factors, 152

Vasculitis, in Klinefelter's syndrome: correspondence, 1266

Venous footpump, influence on tissue perfusion and prevention of venous thrombosis: review, 1173

Vibration induced white finger syndrome, white blood cell activation, 249 Visual disturbance, and neurogenic bladder due to peripheral neuropathy, in SLE: case report, 547 von Willebrand factor

antigen, in giant cell arteritis: correspondence, 1182 exercise induced release, RA, 1117

Wegener's granulomatosis, association with HLA antigens and other genetic markers, 246

White blood cell activation, in Raynaud's phenomenon of systemic sclerosis and vibration induced white finger syndrome, 249

Work related upper limb disorder, relationship between pain, cumulative load, disability, and psychological factors, 1325

Yersinia arthritis, long term prognosis, clinical and serological findings, 1332

Yersinia associated arthritis, experimental, long term follow up of SHR rats, 91

Yersinia enterocolitica infection, and polyarteritis: case report, 678

Yersinia triggered reactive arthritis antibody response: concise report, 1247

contribution of reduced erythrocyte C3b receptor, 97

Yttrium-90, in inflammatory and osteoarthropathies, comparison of two regimens, 262



